



## Stat5a (Acetyl Lys84) rabbit pAb

Catalog No	BYab-00926
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB;IHC
Gene Name	STAT5A STAT5
Protein Name	Stat5a (Acetyl Lys84)
Immunogen	Synthesized peptide derived from human Stat5a (Acetyl Lys84)
Specificity	This antibody detects endogenous levels of Human,Mouse,Rat Stat5a (Acetyl Lys84)
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1:500-2000;IHC-p 1:50-300
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	Signal transducer and activator of transcription 5A
Observed Band	85kD
Cell Pathway	Cytoplasm . Nucleus . Translocated into the nucleus in response to phosphorylation.
Tissue Specificity	
Function	allantoin metabolic process, luteinization, cell activation, leukocyte homeostasis, natural killer cell differentiation, regulation of cytokine production, regulation of leukocyte mediated cytotoxicity, positive regulation of leukocyte mediated cytotoxicity, lymphocyte homeostasis, immune system development, leukocyte differentiation, positive regulation of immune system process, regulation of leukocyte activation, positive regulation of leukocyte activation, regulation of immune effector process, positive regulation of immune effector process, regulation of leukocyte mediated immunity, positive regulation of leukocyte mediated immunity, regulation of lymphocyte mediated immunity, positive regulation of lymphocyte mediated immunity, regulation of natural killer cell mediated immunity, positive regulation of natural killer cell
	immunity, positive regulation of lymphocyte mediated immunity, regulation of natural killer cell mediated immunity, positive regulation of natural killer cell

## Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658






## mediated immunity, regulation of myeloid leukocyte differentiati

Background	
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## **Products Images**



Immunohistochemical analysis of paraffin-embedded human Gastric adenocarcinoma. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).

Nanjing BYabscience technology Co.,Ltd