



ALDH1B1 Polyclonal Antibody

| | |
|---------------------------|--|
| Catalog No | BYab-02490 |
| Isotype | IgG |
| Reactivity | Human;Monkey |
| Applications | WB;ELISA |
| Gene Name | ALDH1B1 |
| Protein Name | Aldehyde dehydrogenase X mitochondrial |
| Immunogen | The antiserum was produced against synthesized peptide derived from human ALDH1B1. AA range:311-360 |
| Specificity | ALDH1B1 Polyclonal Antibody detects endogenous levels of ALDH1B1 protein. |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source | Polyclonal, Rabbit,IgG |
| Purification | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications. |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | ALDH1B1; ALDH5; ALDHX; Aldehyde dehydrogenase X; mitochondrial; Aldehyde dehydrogenase 5; Aldehyde dehydrogenase family 1 member B1 |
| Observed Band | 57kD |
| Cell Pathway | Mitochondrion matrix. |
| Tissue Specificity | Liver, testis and to a lesser extent in brain. |
| Function | catalytic activity:An aldehyde + NAD(+) + H(2)O = an acid + NADH.,function:ALDHs play a major role in the detoxification of alcohol-derived acetaldehyde. They are involved in the metabolism of corticosteroids, biogenic amines, neurotransmitters, and lipid peroxidation.,pathway:Alcohol metabolism; ethanol degradation; acetate from ethanol: step 2/2.,similarity:Belongs to the aldehyde dehydrogenase family.,subunit:Homotetramer.,tissue specificity:Liver, testis and to a lesser extent in brain., |
| Background | This protein belongs to the aldehyde dehydrogenases family of proteins. Aldehyde dehydrogenase is the second enzyme of the major oxidative pathway of |

Nanjing BYabscience technology Co.,Ltd



alcohol metabolism. This gene does not contain introns in the coding sequence. The variation of this locus may affect the development of alcohol-related problems. [provided by RefSeq, Jul 2008],


matters needing attention

Avoid repeated freezing and thawing!


Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images




Western Blot analysis of various cells using ALDH1B1 Polyclonal Antibody diluted at 1:1000




Western Blot analysis of COS7 cells using ALDH1B1 Polyclonal Antibody diluted at 1:1000

Nanjing BYabscience technology Co.,Ltd



Western blot analysis of lysates from HepG2 and COS cells, using ALDH1B1 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HepG2 cells using ALDH1B1 antibody.