



## PWWP2B Polyclonal Antibody

| Catalog No  | BYab-04106   |
|---|--|
| Isotype   | lgG  |
| Reactivity  | Human;Rat;Mouse;   |
| Applications  | WB;IHC;IF;ELISA  |
| Gene Name   | PWWP2B   |
| Protein Name  | PWWP domain-containing protein 2B  |
| Immunogen   | The antiserum was produced against synthesized peptide derived from human PWWP2B. AA range:268-317   |
| Specificity   | PWWP2B Polyclonal Antibody detects endogenous levels of PWWP2B protein.  |
| Formulation   | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  |
| Source  | Polyclonal, Rabbit,IgG   |
| Purification  | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.  |
| Dilution  | WB: 1/500 - 1/2000. IHC: 1/100 - 1/300. ELISA: 1/20000 IF 1:50-200   |
| Concentration   | 1 mg/ml  |
| Purity  | ≥90%   |
| Storage Stability   | -20°C/1 year   |
| Synonyms  |  |
|   | PWWP2B; PWWP2; PWWP domain-containing protein 2B   |
| Observed Band   | 64kD   |
| Observed Band<br>Cell Pathway   |  |
|   | 64kD   |
| Cell Pathway  | 64kD<br>nucleoplasm,   |
| Cell Pathway<br>Tissue Specificity  | 64kD<br>nucleoplasm,<br>Placenta,Uterus,<br>PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,sequence   |
| Cell Pathway<br>Tissue Specificity<br>Function                                  | 64kD<br>nucleoplasm,<br>Placenta,Uterus,<br>PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,sequence<br>caution:Translation N-terminally shortened.,similarity:Contains 1 PWWP domain.<br>PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,sequence   |
| Cell Pathway<br>Tissue Specificity<br>Function<br>Background<br>matters needing | 64kD<br>nucleoplasm,<br>Placenta,Uterus,<br>PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,sequence<br>caution:Translation N-terminally shortened.,similarity:Contains 1 PWWP domain.<br>PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,sequence<br>caution:Translation N-terminally shortened.,similarity:Contains 1 PWWP domain. |


## Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658





## **Products Images**



## Nanjing BYabscience technology Co.,Ltd

官方热线: 025-5229-8998



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



Nanjing BYabscience technology Co.,Ltd

网址:www.njbybio.com 官方热线:025-5229-8998 监督电话:15950492658