



COX IV Monoclonal Antibody(6C8), Cy5 Conjugated

| Catalog No | BYab-04529 |
|--------------------|---|
| Isotype | lgG |
| Reactivity | Human;Rat;Mouse |
| Applications | WB;IHC;IF; |
| Gene Name | COX4I1 |
| Protein Name | Cytochrome c oxidase subunit 4 isoform 1, mitochondrial |
| Immunogen | |
| Specificity | COX IV Monoclonal Antibody(6C8) Cy5 Conjugated specially designed for your Immunofluorescence analysis. |
| Formulation | Liquid in PBS, pH 7.4, containing 0.02% sodium azide as preservative and 50% Glycerol. |
| Source | Monoclonal, Mouse IgG1 |
| Purification | The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen. |
| Dilution | Optimal working dilutions should be determined experimentally by the investigator. Suggested starting dilutions are as follows: IHC 1:50-300, IF 1:200 . |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | COX4I1 |
| Observed Band | |
| Cell Pathway | Mitochondrion inner membrane ; Single-pass membrane protein . |
| Tissue Specificity | Ubiquitous. |
| Function | function:This protein is one of the nuclear-coded polypeptide chains of cytochrome c oxidase, the terminal oxidase in mitochondrial electron transport.,similarity:Belongs to the cytochrome c oxidase IV family.,tissue specificity:Ubiquitous., |
| Background | Cytochrome c oxidase (COX) is the terminal enzyme of the mitochondrial respiratory chain. It is a multi-subunit enzyme complex that couples the transfer of electrons from cytochrome c to molecular oxygen and contributes to a proton electrochemical gradient across the inner mitochondrial membrane. The complex consists of 13 mitochondrial- and nuclear-encoded subunits. The |
| | Nanjing BYabscience technology Co.,Ltd |

网址:www.njbybio.com 官方热线:025-5229-8998 监督电话:15950492658



国内优质抗体供应商

ш. 精准的 WB 检测服务 24H 在线服务,欢迎咨询

| | mitochondrially-encoded subunits perform the electron transfer and proton pumping activities. The functions of the nuclear-encoded subunits are unknown but they may play a role in the regulation and assembly of the complex. This gene encodes the nuclear-encoded subunit IV isoform 1 of the human mitochondrial respiratory chain enzyme. It is located at the 3' of the NOC4 (neighbor of COX4) gene in a head-to-head orientation, and shares a promoter with it. Pseudogenes related to this gene are located on chromosomes |
|---------------------------|---|
| matters needing attention | Avoid repeated freezing and thawing! |
| Usage suggestions | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel. |

Products Images

Nanjing BYabscience technology Co.,Ltd