



MBP-Tag Monoclonal Antibody(7G2)

Glycerol. Source Monoclonal, Mouse Purification The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen. Dilution WB: 1:5000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band Cell Pathway Tissue Specificity Function Maltose Binding Protein, also called MBP, is a member of the maltose/maltodextrin system of E.coli which is accountable for the uptake and		
Reactivity Applications WB Gene Name Protein Name Immunogen Recombinant Protein of MBP-Tag Specificity The antibody detects MBP and MBP tag fusion proteins. Formulation PBS, pH 7.4, containing 0.5%BSA, 0.02% sodium azide as Preservative and 50% Glycerol. Source Monoclonal, Mouse Purification The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen. Dilution WB: 1:5000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band Cell Pathway Tissue Specificity Function Background Maltose Binding Protein, also called MBP, is a member of the maltose/maltodextrin system of E.coli which is accountable for the uptake and efficient catabolism of maltodextrins. Maltose binding protein is a useful affinity tag that can increase the expression level and solubility of the MBP tag exportent.	Catalog No	BYab-04730
Applications Gene Name Protein Name Immunogen Recombinant Protein of MBP-Tag Specificity The antibody detects MBP and MBP tag fusion proteins. Formulation PBS, pH 7.4, containing 0.5%BSA, 0.02% sodium azide as Preservative and 50% Glycerol. Source Monoclonal, Mouse Purification The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen. Dilution WB: 1:5000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band Cell Pathway Tissue Specificity Function Background Maltose Binding Protein, also called MBP, is a member of the maltose/maltoextrin system of E. coil which is accountable for the uptake and efficient catabolism of maltodextrins. Maltose binding protein is a useful affinity tag that can increase the expression level and solubility of the MBP tagged protein. It promotes proper folding of the fusion protein, and it can be also used to prevent it	Isotype	IgG
Gene Name Protein Name Immunogen Recombinant Protein of MBP-Tag Specificity The antibody detects MBP and MBP tag fusion proteins. Formulation PBS, pH 7.4, containing 0.5%BSA, 0.02% sodium azide as Preservative and 50% Glycerol. Source Monoclonal, Mouse Purification The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen. Dilution WB: 1:5000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band Cell Pathway Tissue Specificity Function Background Maltose Binding Protein, also called MBP, is a member of the maltose/maltodextrin system of E.coli which is accountable for the uptake and efficient catabolism of maltodextrins. Maltose binding protein is a useful affinity tag that can increase the expression level and solubility of the MBP tagged protein. It promotes proper folding of the fusion protein, and it can be also used to prevent	Reactivity	Species independent
Protein Name Immunogen Recombinant Protein of MBP-Tag Specificity The antibody detects MBP and MBP tag fusion proteins. Formulation PBS, pH 7.4, containing 0.5%BSA, 0.02% sodium azide as Preservative and 50% Glycerol. Source Monoclonal, Mouse Purification The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen. Dilution WB: 1:5000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band Cell Pathway Tissue Specificity Function Maltose Binding Protein, also called MBP, is a member of the maltose/maltodextrin system of E.coli which is accountable for the uptake and efficient catabolism of maltodextrins. Maltose binding protein is a useful affinity tag that can increase the expression level and solubility of the MBP tagged protein. It promotes proper folding of the fusion protein, and it can be also used to prevent	Applications	WB
Immunogen Recombinant Protein of MBP-Tag	Gene Name	
Specificity The antibody detects MBP and MBP tag fusion proteins. Formulation PBS, pH 7.4, containing 0.5%BSA, 0.02% sodium azide as Preservative and 50% Glycerol. Source Monoclonal, Mouse Purification The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen. Dilution WB: 1:5000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band Cell Pathway Tissue Specificity Function Background Maltose Binding Protein, also called MBP, is a member of the maltose/maltodextrin system of E.coli which is accountable for the uptake and efficient catabolism of maltodextrins. Maltose binding protein is a useful affinity tag that can increase the expression level and solubility of the MBP tagged protein. It promotes proper folding of the fusion protein, and it can be also used to prevent	Protein Name	
Formulation PBS, pH 7.4, containing 0.5%BSA, 0.02% sodium azide as Preservative and 50% Glycerol. Source Monoclonal, Mouse Purification The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen. Dilution WB: 1:5000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band Cell Pathway Tissue Specificity Function Background Maltose Binding Protein, also called MBP, is a member of the maltose/maltodextrin system of E. coli which is accountable for the uptake and efficient catabolism of maltodextrins. Maltose binding protein is a useful affinity tag that can increase the expression level and solubility of the MBP tagged protein. It promotes proper folding of the fusion protein, and it can be also used to prevent	Immunogen	Recombinant Protein of MBP-Tag
Glycerol. Source Monoclonal, Mouse Purification The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen. Dilution WB: 1:5000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band Cell Pathway Tissue Specificity Function Background Maltose Binding Protein, also called MBP, is a member of the maltose/maltodextrin system of E. coli which is accountable for the uptake and efficient catabolism of maltodextrins. Maltose binding protein is a useful affinity tag that can increase the expression level and solubility of the MBP tagged protein. If promotes proper folding of the fusion protein, and it can be also used to prevent	Specificity	The antibody detects MBP and MBP tag fusion proteins.
Purification The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen. Dilution WB: 1:5000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band Cell Pathway Tissue Specificity Function Background Maltose Binding Protein, also called MBP, is a member of the maltose/maltodextrin system of E.coli which is accountable for the uptake and efficient catabolism of maltodextrins. Maltose binding protein is a useful affinity tag that can increase the expression level and solubility of the MBP tagged protein. It promotes proper folding of the fusion protein, and it can be also used to prevent	Formulation	PBS, pH 7.4, containing 0.5%BSA, 0.02% sodium azide as Preservative and 50% Glycerol.
using specific immunogen. Dilution WB: 1:5000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band Cell Pathway Tissue Specificity Function Background Maltose Binding Protein, also called MBP, is a member of the maltose/maltodextrin system of E.coli which is accountable for the uptake and efficient catabolism of maltodextrins. Maltose binding protein is a useful affinity tag that can increase the expression level and solubility of the MBP tagged protein. It promotes proper folding of the fusion protein, and it can be also used to prevent	Source	Monoclonal, Mouse
Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band Cell Pathway Tissue Specificity Function Background Maltose Binding Protein, also called MBP, is a member of the maltose/maltodextrin system of E.coli which is accountable for the uptake and efficient catabolism of maltodextrins. Maltose binding protein is a useful affinity tag that can increase the expression level and solubility of the MBP tagged protein. It promotes proper folding of the fusion protein, and it can be also used to prevent	Purification	
Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band Cell Pathway Tissue Specificity Function Background Maltose Binding Protein, also called MBP, is a member of the maltose/maltodextrin system of E.coli which is accountable for the uptake and efficient catabolism of maltodextrins. Maltose binding protein is a useful affinity tag that can increase the expression level and solubility of the MBP tagged protein. It promotes proper folding of the fusion protein, and it can be also used to prevent	Dilution	WB: 1:5000
Storage Stability -20°C/1 year Synonyms Observed Band Cell Pathway Tissue Specificity Function Background Maltose Binding Protein, also called MBP, is a member of the maltose/maltodextrin system of E.coli which is accountable for the uptake and efficient catabolism of maltodextrins. Maltose binding protein is a useful affinity tag that can increase the expression level and solubility of the MBP tagged protein. It promotes proper folding of the fusion protein, and it can be also used to prevent	Concentration	1 mg/ml
Synonyms Observed Band Cell Pathway Tissue Specificity Function Background Maltose Binding Protein, also called MBP, is a member of the maltose/maltodextrin system of E.coli which is accountable for the uptake and efficient catabolism of maltodextrins. Maltose binding protein is a useful affinity tag that can increase the expression level and solubility of the MBP tagged protein. It promotes proper folding of the fusion protein, and it can be also used to prevent	Purity	≥90%
Observed Band Cell Pathway Tissue Specificity Function Background Maltose Binding Protein, also called MBP, is a member of the maltose/maltodextrin system of E.coli which is accountable for the uptake and efficient catabolism of maltodextrins. Maltose binding protein is a useful affinity tag that can increase the expression level and solubility of the MBP tagged protein. It promotes proper folding of the fusion protein, and it can be also used to prevent	Storage Stability	-20°C/1 year
Cell Pathway Tissue Specificity Function Background Maltose Binding Protein, also called MBP, is a member of the maltose/maltodextrin system of E.coli which is accountable for the uptake and efficient catabolism of maltodextrins. Maltose binding protein is a useful affinity tag that can increase the expression level and solubility of the MBP tagged protein. It promotes proper folding of the fusion protein, and it can be also used to prevent	Synonyms	
Tissue Specificity Function Background Maltose Binding Protein, also called MBP, is a member of the maltose/maltodextrin system of E.coli which is accountable for the uptake and efficient catabolism of maltodextrins. Maltose binding protein is a useful affinity tag that can increase the expression level and solubility of the MBP tagged protein. It promotes proper folding of the fusion protein, and it can be also used to prevent	Observed Band	
Function Background Maltose Binding Protein, also called MBP, is a member of the maltose/maltodextrin system of E.coli which is accountable for the uptake and efficient catabolism of maltodextrins. Maltose binding protein is a useful affinity tag that can increase the expression level and solubility of the MBP tagged protein. It promotes proper folding of the fusion protein, and it can be also used to prevent	Cell Pathway	
Background Maltose Binding Protein, also called MBP, is a member of the maltose/maltodextrin system of E.coli which is accountable for the uptake and efficient catabolism of maltodextrins. Maltose binding protein is a useful affinity tag that can increase the expression level and solubility of the MBP tagged protein. It promotes proper folding of the fusion protein, and it can be also used to prevent	Tissue Specificity	
maltose/maltodextrin system of E.coli which is accountable for the uptake and efficient catabolism of maltodextrins. Maltose binding protein is a useful affinity tag that can increase the expression level and solubility of the MBP tagged protein. It promotes proper folding of the fusion protein, and it can be also used to prevent	Function	
	Background	maltose/maltodextrin system of E.coli which is accountable for the uptake and efficient catabolism of maltodextrins. Maltose binding protein is a useful affinity tag that can increase the expression level and solubility of the MBP tagged protein. It promotes proper folding of the fusion protein, and it can be also used to prevent

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658






matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



0.5ug MBP fusion protein+ Primary antibody dilution at 1) 1:3000 2) 1:5000 3) 1:10000

Nanjing BYabscience technology Co.,Ltd