



TDRKH rabbit pAb

Catalog No	BYab-07976
Isotype	IgG
Reactivity	Human; Mouse
Applications	WB
Gene Name	TDRKH TDRD2
Protein Name	TDRKH
Immunogen	Synthesized peptide derived from human TDRKH AA range: 241-291
Specificity	This antibody detects endogenous levels of TDRKH at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.90% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	Tudor and KH domain-containing protein (Tudor domain-containing protein 2)
Observed Band	60kD
Cell Pathway	Cytoplasm . Mitochondrion . Probable component of the meiotic nuage, also named P granule, a germ-cell-specific organelle required to repress transposon activity during meiosis. Colocalizes with pi- and piP-bodies, a subset of the nuage which contains secondary piRNAs. Associated with mitochondria in the germline.
Tissue Specificity	Aorta,
Function	similarity:Contains 1 KH domain.,similarity:Contains 1 Tudor domain.,similarity:Contains 2 KH domains.,
Background	
matters needing attention	Avoid repeated freezing and thawing!

Nanjing BYabscience technology Co.,Ltd




国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.





Western blot analysis of lysates from SW480 cells, primary antibody was diluted at 1:1000, 4° over night

Nanjing BYabscience technology Co.,Ltd