



USP28 (Phospho-Ser714) rabbit pAb

| | |
|----------------------------------|---|
| Catalog No | BYab-10526 |
| Isotype | IgG |
| Reactivity | Human; Mouse;Rat |
| Applications | WB |
| Gene Name | USP28 KIAA1515 |
| Protein Name | USP28 (Phospho-Ser714) |
| Immunogen | Synthesized peptide derived from human USP28 (Phospho-Ser714) |
| Specificity | This antibody detects endogenous levels of USP28 (Phospho-Ser714) at Human, Mouse,Rat |
| Formulation | Liquid in PBS containing 50% glycerol, and 0.182% sodium azide. |
| Source | Polyclonal, Rabbit,IgG |
| Purification | The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen. |
| Dilution | WB 1:500-2000 |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | Ubiquitin carboxyl-terminal hydrolase 28 (EC 3.4.19.12) (Deubiquitinating enzyme 28) (Ubiquitin thioesterase 28) (Ubiquitin-specific-processing protease 28) |
| Observed Band | |
| Cell Pathway | Nucleus, nucleoplasm . |
| Tissue Specificity | Brain, Eye, |
| Function | catalytic activity:Ubiquitin C-terminal thioester + H(2)O = ubiquitin + a thiol.,PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,similarity:Belongs to the peptidase C19 family.,similarity:Contains 1 UIM (ubiquitin-interacting motif) repeat., |
| Background | The protein encoded by this gene is a deubiquitinase involved in the DNA damage pathway and DNA damage-induced apoptosis. Overexpression of this gene is seen in several cancers. [provided by RefSeq, Oct 2016], |
| matters needing attention | Avoid repeated freezing and thawing! |


Nanjing BYabscience technology Co.,Ltd



Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various, using primary antibody at 1:1000 dilution. Secondary antibody(catalog#:RS23920) was diluted at 1:10000