



# ANGPTL3 rabbit pAb

<b>Catalog No</b>	BYab-12416
<b>Isotype</b>	IgG
<b>Reactivity</b>	Human;Rat;Mouse;
<b>Applications</b>	WB; ELISA
<b>Gene Name</b>	ANGPTL3 ANGPT5 UNQ153/PRO179
<b>Protein Name</b>	ANGPTL3
<b>Immunogen</b>	Synthesized peptide derived from human ANGPTL3 AA range: 50-130
<b>Specificity</b>	This antibody detects endogenous levels of Human ANGPTL3
<b>Formulation</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source</b>	Polyclonal, Rabbit,IgG
<b>Purification</b>	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
<b>Dilution</b>	WB 1:1000-2000 ELISA 1:5000-20000
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	≥90%
<b>Storage Stability</b>	-20°C/1 year
<b>Synonyms</b>	Angiopoietin-related protein 3 (Angiopoietin-5;ANG-5;Angiopoietin-like protein 3)
<b>Observed Band</b>	
<b>Cell Pathway</b>	Secreted . Cell projection, lamellipodium . Colocalized with HSPG2 and activated ITGB3 on podocytes. .
<b>Tissue Specificity</b>	Expressed principally in liver. Weakly expressed in kidney. Binds to adipocytes. Increased expression and colocalization with activated ITGB3 in glomeruli of patients with nephrotic syndrome showing effaced podocyte foot processes (at protein level).
<b>Function</b>	blood vessel development, vasculature development, glycerol metabolic process, fatty acid metabolic process,phospholipid metabolic process, cell adhesion, cell-matrix adhesion, cell surface receptor linked signal transduction,integrin-mediated signaling pathway, steroid metabolic process, cholesterol metabolic process, phospholipid catabolic process, regulation of catabolic process, positive regulation of catabolic process, regulation of phospholipase activity,negative regulation of phospholipase activity, lipid localization, lipid catabolic process, sterol metabolic process,regulation of lipid metabolic process, alditol metabolic

**Nanjing BYabscience technology Co.,Ltd**



process, organophosphate metabolic process, polyol metabolic process, lipid storage, biological adhesion, regulation of cell migration, positive regulation of cell migration, cell-substrate adhesion, regulation of locomotion, positive regulation of locomotion,

**Background**

similarity:Contains 1 fibrinogen C-terminal domain.,tissue specificity:Expressed principally in liver. Weakly expressed in kidney.,

**matters needing attention**

Avoid repeated freezing and thawing!

**Usage suggestions**

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## Products Images

Nanjing BYabscience technology Co.,Ltd

网址: [www.njbybio.com](http://www.njbybio.com)

官方热线: 025-5229-8998

监督电话: 15950492658