

FAM168B Rabbit pAb

Catalog No	BYab-18668
Isotype	IgG
Reactivity	Human,Mouse,Rat
Applications	WB
Gene Name	FAM168B KIAA0280L MANI
Protein Name	Myelin-associated neurite-outgrowth inhibitor (Mani) (p20)
Immunogen	Synthesized peptide derived from human FAM168B
Specificity	This antibody detects endogenous levels of FAM168B at Human, Mouse,Rat
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Concentration Purity	1 mg/ml ≥90%
Purity	≥90%
Purity Storage Stability	≥90%
Purity Storage Stability Synonyms	≥90% -20°C/1 year
Purity Storage Stability Synonyms Observed Band	≥90% -20°C/1 year 21kD Cytoplasm, perinuclear region . Cell membrane ; Multi-pass membrane protein .
Purity Storage Stability Synonyms Observed Band Cell Pathway	≥90% -20°C/1 year 21kD Cytoplasm, perinuclear region . Cell membrane ; Multi-pass membrane protein . Cell projection, axon . Expressed in neuronal cell bodies and axonal fibers Expressed in the brain, within neuronal axonal fibers and associated with myelin sheets (at protein level). Expression tends to be lower in the brain of Alzheimer
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	≥90% -20°C/1 year 21kD Cytoplasm, perinuclear region . Cell membrane ; Multi-pass membrane protein . Cell projection, axon . Expressed in neuronal cell bodies and axonal fibers Expressed in the brain, within neuronal axonal fibers and associated with myelin sheets (at protein level). Expression tends to be lower in the brain of Alzheimer disease patients compared to healthy individuals (at protein level). Inhibitor of neuronal axonal outgrowth. Acts as a negative regulator of CDC42 and
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	≥90% -20°C/1 year 21kD Cytoplasm, perinuclear region . Cell membrane ; Multi-pass membrane protein . Cell projection, axon . Expressed in neuronal cell bodies and axonal fibers Expressed in the brain, within neuronal axonal fibers and associated with myelin sheets (at protein level). Expression tends to be lower in the brain of Alzheimer disease patients compared to healthy individuals (at protein level). Inhibitor of neuronal axonal outgrowth. Acts as a negative regulator of CDC42 and
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	≥90% -20°C/1 year 21kD Cytoplasm, perinuclear region . Cell membrane ; Multi-pass membrane protein . Cell projection, axon . Expressed in neuronal cell bodies and axonal fibers Expressed in the brain, within neuronal axonal fibers and associated with myelin sheets (at protein level). Expression tends to be lower in the brain of Alzheimer disease patients compared to healthy individuals (at protein level). Inhibitor of neuronal axonal outgrowth. Acts as a negative regulator of CDC42 and STAT3 and a positive regulator of STMN2. Positive regulator of CDC27.



