



AAAT mouse mAb

Catalog No	BYmab-12116
Isotype	IgG
Reactivity	Human; Mouse;Rat
Applications	WB
Gene Name	SLC1A5 ASCT2 M7V1 RDR RDRC
Protein Name	AAAT
Immunogen	Synthesized peptide derived from human AAAT AA range: 345-395
Specificity	This antibody detects endogenous levels of AAAT at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, mouse,IgG
Purification	The antibody was affinity-purified from mouse serum by affinity-chromatography using specific immunogen.
Dilution	WB 1 : 500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	60kD
Cell Pathway	Cell membrane ; Multi-pass membrane protein . Melanosome. Identified by mass
Tissue Specificity	Placenta, lung, skeletal muscle, kidney, pancreas, and intestine.
Function	alternative products:A number of isoforms are produced by alternative initiation. glutamine, asparagine, and branched-chain and aromatic amino acids, and excludes methylated amino acids, anionic amino acids, and cationic amino acids.

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com

官方热线: 025-5229-8998

监督电话: 15950492658

**Background**

The SLC1A5 gene encodes a sodium-dependent neutral amino acid transporter

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com

官方热线: 025-5229-8998

监督电话: 15950492658

matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For
	Western blot analysis of lysates from Hela cells, primary antibody was diluted at 1:1000, 4°over night