



FHL1 mouse mAb

Catalog No	BYmab-12356
Isotype	IgG
Reactivity	Human; Mouse;Rat
Applications	WB
Gene Name	FHL1 SLIM1
Protein Name	FHL1
Immunogen	Synthesized peptide derived from human FHL1 AA range: 66-116
Specificity	This antibody detects endogenous levels of FHL1 at Human/Mouse/Rat
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, mouse,lgG
Purification	The antibody was affinity-purified from mouse serum by affinity-chromatography using specific immunogen.
Dilution	WB 1: 500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	36kD
Cell Pathway	[Isoform 1]: Cytoplasm.; [Isoform 3]: Cytoplasm. Nucleus.; [Isoform 2]: Nucleus. Cytoplasm, cytosol. Predominantly nuclear in myoblasts but is cytosolic in
Tissue Specificity	Isoform 1 is highly expressed in skeletal muscle and to a lesser extent in heart, placenta, ovary, prostate, testis, small intestine, colon and spleen. Expression is barely detectable in brain, lung, liver, kidney, pancreas, thymus and peripheral
	testis, heart and skeletal muscle.

Nanjing BYabscience technology Co.,Ltd



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询




Function

developmental stage: Elevated levels during postnatal muscle

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658







	with postural muscle atrophy (XMPMA) [MIM:300696]. Myopathies are inherited
	muscle, and
Background	This gene encodes a member of the four-and-a-half-LIM-only protein family.
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For
	Western blot analysis of lysates from PC-12 cells, primary antibody was diluted at 1:1000, 4°over night

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658