



## HMG-17 (Acetyl Lys3) mouse mAb

| Catalog No         | BYmab-00911                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| lsotype            | lgG                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Reactivity         | Human;Mouse;Rat                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Applications       | WB                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Gene Name          | HMGN2 HMG17                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Protein Name       | HMG-17 (Acetyl Lys3)                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Immunogen          | Synthesized peptide derived from human HMG-17 (Acetyl Lys3)                                                                                                                                                                                                                                                                                                                                                                              |
| Specificity        | This antibody detects endogenous levels of Human,Mouse,Rat HMG-17 (Acetyl Lys3)                                                                                                                                                                                                                                                                                                                                                          |
| Formulation        | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.                                                                                                                                                                                                                                                                                                                                                                  |
| Source             | Monoclonal, Mouse,IgG                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Purification       | The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.                                                                                                                                                                                                                                                                                                                     |
| Dilution           | WB 1:500-2000                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Concentration      | 1 mg/ml                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Purity             | ≥90%                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Storage Stability  | -20°C/1 year                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Synonyms           | Non-histone chromosomal protein HMG-17 (High mobility group nucleosome-binding domain-containing protein 2)                                                                                                                                                                                                                                                                                                                              |
| Observed Band      | 15-17kD                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Cell Pathway       | Nucleus . Cytoplasm . Cytoplasmic enrichment upon phosphorylation.                                                                                                                                                                                                                                                                                                                                                                       |
| Tissue Specificity |                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Function           | function:Binds to the inner side of the nucleosomal DNA thus altering the interaction between the DNA and the histone octamer. May be involved in the process which maintains transcribable genes in an unique chromatin conformation.,mass spectrometry: PubMed:10739259,PTM:Phosphorylation favors cytoplasmic localization.,similarity:Belongs to the HMGN family.,subcellular location:Cytoplasmic enrichment upon phosphorylation., |
| Background         | high mobility group nucleosomal binding domain 2(HMGN2) Homo sapiens<br>The protein encoded by this gene binds nucleosomal DNA and is associated with<br>transcriptionally active chromatin. Along with a similar protein, HMGN1, the<br>encoded protein may help maintain an open chromatin configuration around                                                                                                                        |
|                    | Nanjing BYabscience technology Co.,Ltd                                                                                                                                                                                                                                                                                                                                                                                                   |

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658



国内优质抗体供应商 精准的 WB 检测服务

24H 在线服务,欢迎咨询



| Products Images           |                                                                                                                                                          |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Usage suggestions         | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.                        |
| matters needing attention | Avoid repeated freezing and thawing!                                                                                                                     |
|                           | transcribable genes. The protein has also been found to have antimicrobial activity against bacteria, viruses and fungi. [provided by RefSeq, Oct 2014], |
|                           |                                                                                                                                                          |

Nanjing BYabscience technology Co.,Ltd