




NDUFC2 Monoclonal Antibody

Catalog No	BYmab-02706
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB
Gene Name	NDUFC2
Protein Name	NADH dehydrogenase [ubiquinone] 1 subunit C2
Immunogen	The antiserum was produced against synthesized peptide derived from human NDUC2. AA range:51-100
Specificity	NDUFC2 Monoclonal Antibody detects endogenous levels of NDUFC2 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	NDUFC2; HLC1; NADH dehydrogenase [ubiquinone] 1 subunit C2; Complex
	I-B14.5b; CI-B14.5b; Human lung cancer oncogene 1 protein; HLC-1; NADH-ubiquinone oxidoreductase subunit B14.5b
Observed Band	
Observed Band Cell Pathway	NADH-ubiquinone oxidoreductase subunit B14.5b
	NADH-ubiquinone oxidoreductase subunit B14.5b 14kDa
Cell Pathway	NADH-ubiquinone oxidoreductase subunit B14.5b 14kDa Mitochondrion inner membrane ; Single-pass membrane protein ; Matrix side .
Cell Pathway Tissue Specificity	NADH-ubiquinone oxidoreductase subunit B14.5b 14kDa Mitochondrion inner membrane; Single-pass membrane protein; Matrix side. Kidney,Ovary,Umbilical cord blood, function:Accessory subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I), that is believed to be not involved in catalysis. Complex I functions in the transfer of electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be ubiquinone.,similarity:Belongs to the complex I NDUFC2 subunit

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658







	Complex I functions in the transfer of electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be ubiquinone.,similarity:Belongs to the complex I NDUFC2 subunit family.,subunit:Complex I is composed of 45 different subunits.,
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658