




IRS-1 (phospho Tyr896) Monoclonal Antibody

| Catalog No | BYmab-03538 |
|--------------------|---|
| Isotype | IgG |
| Reactivity | Human;Mouse;Rat |
| Applications | WB |
| Gene Name | IRS1 |
| Protein Name | Insulin receptor substrate 1 |
| Immunogen | The antiserum was produced against synthesized peptide derived from human IRS-1 around the phosphorylation site of Tyr896. AA range:862-911 |
| Specificity | Phospho-IRS-1 (Y896) Monoclonal Antibody detects endogenous levels of IRS-1 protein only when phosphorylated at Y896. |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source | Monoclonal, Mouse,IgG |
| Purification | The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | WB 1:500-2000 |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | IRS1; Insulin receptor substrate 1; IRS-1 |
| Observed Band | 170kD |
| Cell Pathway | nucleus,cytoplasm,cytosol,plasma membrane,insulin receptor complex,caveola,intracellular membrane-bounded organelle, |
| Tissue Specificity | Epithelium,Eye,Skeletal muscle, |
| Function | disease:Polymorphisms in IRS1 may be involved in the etiology of non-insulin-dependent diabetes mellitus (NIDDM) [MIM:125853].,function:May mediate the control of various cellular processes by insulin. When phosphorylated by the insulin receptor binds specifically to various cellular proteins containing SH2 domains such as phosphatidylinositol 3-kinase p85 subunit or GRB2. Activates phosphatidylinositol 3-kinase when bound to the regulatory p85 subunit.,polymorphism:The Arg-971 polymorphism impairs the ability of insulin to stimulate glucose transport, glucose transporter translocation, and glycogen synthesis by affecting the PI3K/AKT1/GSK3 signaling pathway. The polymorphism at Arg-971 may contribute to the in vivo insulin resistance observed in carriers of this variant. Arg-971 could contribute to the risk for atherosclerotic |

Nanjing BYabscience technology Co.,Ltd







| cardiovascular | diseases | associated | with | non-ins | ulin-de | nenden |
|----------------|----------|------------|--------|------------|----------|--------|
| cardiovascular | uiscascs | associated | VVILII | 11011-1113 | uni i-uc | penaen |

| Background | This gene encodes a protein which is phosphorylated by insulin receptor tyrosine kinase. Mutations in this gene are associated with type II diabetes and |
|------------|--|
| | suscentibility to insulin resistance. Inrovided by RefSeq. Nov 20091 |


susceptibility to insulin resistance. [provided by RetSeq, Nov 2009],

matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using IRS-1 (phospho Tyr896) Monoclonal Antibody

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658