



MARCKS (phospho Ser158) Monoclonal Antibody

Catalog No	BYmab-03550
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	MARCKS
Protein Name	Myristoylated alanine-rich C-kinase substrate
Immunogen	The antiserum was produced against synthesized peptide derived from human MARCKS around the phosphorylation site of Ser158. AA range:126-175
Specificity	Phospho-MARCKS (S158) Monoclonal Antibody detects endogenous levels of MARCKS protein only when phosphorylated at S158.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	MARCKS; MACS; PRKCSL; Myristoylated alanine-rich C-kinase substrate; MARCKS; Protein kinase C substrate; 80 kDa protein, light chain; 80K-L protein; PKCSL
Observed Band	118470DA
Cell Pathway	Cytoplasm, cytoskeleton . Membrane ; Lipid-anchor .
Tissue Specificity	Blood,Brain,Epithelium,Muscle,Skin,
Function	
Background	
matters needing attention	Avoid repeated freezing and thawing!

Nanjing BYabscience technology Co.,Ltd

**Usage suggestions**

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images