



# FGF-BP2 Monoclonal Antibody

<b>Catalog No</b>	BYmab-03871
<b>Isotype</b>	IgG
<b>Reactivity</b>	Human;Rat;Mouse;
<b>Applications</b>	WB
<b>Gene Name</b>	FGFBP2
<b>Protein Name</b>	Fibroblast growth factor-binding protein 2
<b>Immunogen</b>	The antiserum was produced against synthesized peptide derived from human FGFP2. AA range:170-219
<b>Specificity</b>	FGF-BP2 Monoclonal Antibody detects endogenous levels of FGF-BP2 protein.
<b>Formulation</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source</b>	Monoclonal, Mouse,IgG
<b>Purification</b>	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Dilution</b>	WB 1:500-2000
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	≥90%
<b>Storage Stability</b>	-20°C/1 year
<b>Synonyms</b>	FGFBP2; KSP37; Fibroblast growth factor-binding protein 2; FGF-BP2; FGF-binding protein 2; FGFBP-2; 37 kDa killer-specific secretory protein; Ksp37; HBp17-related protein; HBp17-RP
<b>Observed Band</b>	37kD
<b>Cell Pathway</b>	Secreted, extracellular space .
<b>Tissue Specificity</b>	Expressed in serum, peripheral leukocytes and cytotoxic T-lymphocytes, but not in granulocytes and monocytes (at protein level).
<b>Function</b>	similarity:Belongs to the fibroblast growth factor-binding protein family.,tissue specificity:Expressed in serum, peripheral leukocytes and cytotoxic T lymphocytes, but not in granulocytes and monocytes (at protein level).,
<b>Background</b>	This gene encodes a member of the fibroblast growth factor binding protein family. The encoded protein is a serum protein that is selectively secreted by cytotoxic lymphocytes and may be involved in cytotoxic lymphocyte-mediated immunity. An increase in the amount of gene product may be associated with atopic asthma and mild extrinsic asthma.[provided by RefSeq Staff, Oct 2008],

**Nanjing BYabscience technology Co.,Ltd**




**matters needing attention**

Avoid repeated freezing and thawing!

**Usage suggestions**

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## Products Images



Western Blot analysis of various cells using FGF-BP2 Monoclonal Antibody