



FTβ Monoclonal Antibody


Catalog No	BYmab-03879
Isotype	lgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	FNTB
Protein Name	Protein farnesyltransferase subunit beta
Immunogen	The antiserum was produced against synthesized peptide derived from human FNTB. AA range:255-304
Specificity	FT β Monoclonal Antibody detects endogenous levels of FT β protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	FNTB; Protein farnesyltransferase subunit beta; FTase-beta; CAAX farnesyltransferase subunit beta; Ras proteins prenyltransferase subunit beta
Observed Band	49kD
Cell Pathway	cytosol,microtubule associated complex,protein farnesyltransferase complex,
Tissue Specificity	Neuroblastoma,Placenta,Retina,
Function	catalytic activity:Farnesyl diphosphate + protein-cysteine = S-farnesyl protein + diphosphate.,cofactor:Binds 1 zinc ion per subunit.,function:Catalyzes the transfer of a farnesyl moiety from farnesyl pyrophosphate to a cysteine at the fourth position from the C-terminus of several proteins. The beta subunit is responsible for peptide-binding.,similarity:Belongs to the protein prenyltransferase subunit beta family.,similarity:Contains 5 PFTB repeats.,subunit:Heterodimer of an alpha and a beta subunit.,
Background	catalytic activity:Farnesyl diphosphate + protein-cysteine = S-farnesyl protein + diphosphate.,cofactor:Binds 1 zinc ion per subunit.,function:Catalyzes the transfer of a farnesyl moiety from farnesyl pyrophosphate to a cysteine at the fourth
	Nanjing BYabscience technology Co.,Ltd



国内优质抗体供应商

精准的 WB 检测服务 24H 在线服务,欢迎咨询

	position from the C-terminus of several proteins. The beta subunit is responsible for peptide-binding.,similarity:Belongs to the protein prenyltransferase subunit beta family.,similarity:Contains 5 PFTB repeats.,subunit:Heterodimer of an alpha and a beta subunit.,
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.



Nanjing BYabscience technology Co.,Ltd