



MARCKS Monoclonal Antibody

Catalog No	BYmab-03951			
lsotype	lgG			
Reactivity	Human;Mouse;Rat			
Applications	WB			
Gene Name	MARCKS			
Protein Name	Myristoylated alanine-rich C-kinase substrate			
Immunogen	The antiserum was produced against synthesized peptide derived from human MARCKS. AA range:126-175			
Specificity	MARCKS Monoclonal Antibody detects endogenous levels of MARCKS protein.			
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.			
Source	Monoclonal, Mouse,IgG			
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.			
Dilution	WB 1:500-2000			
Concentration	1 mg/ml			
Purity	≥90%			
Storage Stability	-20°C/1 year			
	•			
Synonyms	MARCKS; MACS; PRKCSL; Myristoylated alanine-rich C-kinase substrate; MARCKS; Protein kinase C substrate; 80 kDa protein, light chain; 80K-L protein; PKCSL			
Synonyms Observed Band	MARCKS; Protein kinase C substrate; 80 kDa protein, light chain; 80K-L protein;			
	MARCKS; Protein kinase C substrate; 80 kDa protein, light chain; 80K-L protein; PKCSL			
Observed Band	MARCKS; Protein kinase C substrate; 80 kDa protein, light chain; 80K-L protein; PKCSL 31kD			
Observed Band Cell Pathway	MARCKS; Protein kinase C substrate; 80 kDa protein, light chain; 80K-L protein; PKCSL 31kD Cytoplasm, cytoskeleton . Membrane ; Lipid-anchor .			
Observed Band Cell Pathway Tissue Specificity	 MARCKS; Protein kinase C substrate; 80 kDa protein, light chain; 80K-L protein; PKCSL 31kD Cytoplasm, cytoskeleton . Membrane ; Lipid-anchor . Blood,Brain,Epithelium,Muscle,Skin, function:MARCKS is the most prominent cellular substrate for protein kinase C. This protein binds calmodulin, actin, and synapsin. MARCKS is a filamentous (F) actin cross-linking protein.,PTM:Phosphorylation by PKC displaces MARCKS from the membrane. It also inhibits the F-actin cross-linking 			



国内优质抗体供应商 精准的 WB 检测服务

24H 在线服务, 欢迎咨询

association with actin and with the plasma membrane, leading to its presence in the cytoplasm. The protein is thought to be involved in cell motility, phagocytosis, membrane trafficking and mitogenesis. [provided by RefSeq, Jul 2008],

matters needing attention	Avoid repeated freezing and thawing!	
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.	

Products Images					
	JK	_{JK} 117 85	Western Blot analysis of various cells using MARCKS Monoclonal Antibody		
MARCKS		48 34			
	A. L. F. L. A.	26 19 (kD)			

Nanjing BYabscience technology Co.,Ltd