



## Ribosomal Protein L37A Monoclonal Antibody

RPL37A. AA range:21-70  Ribosomal Protein L37A Monoclonal Antibody detects endogenous levels of Ribosomal Protein L37A protein.  Formulation  Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide of Monoclonal, Mouse, IgG  Purification  The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution  WB 1:500-2000  Concentration  1 mg/ml  Purity  ≥90%  Storage Stability  -20°C/1 year  Synonyms  RPL37A; 60S ribosomal protein L37a  Observed Band  10kD  Cell Pathway  nucleus, cytosol, ribosome, focal adhesion, cytosolic large ribosomal subunit, extracellular exosome, Tissue Specificity  B-cell, Brain, Cerebellum, Nasal polyp, Pancreas, Salivary gland, Skin, Testis, similarity: Belongs to the ribosomal protein L37Ae family.,  Ribosomes, the organelles that catalyze protein synthesis, consist of a sm subunit and a large 60S subunit. Together these subunits are composed of species and approximately 80 structurally distinct proteins. This gene encorbosomal protein that is a component of the 60S subunit. The protein belong the L37Ae family of ribosomal proteins. It is located in the cytoplasm. The protein belong the L37Ae family of ribosomal proteins. It is located in the cytoplasm. The protein belong the L37Ae family of ribosomal proteins. It is located in the cytoplasm. The protein belongens and approximately 80 structurally distinct proteins. This gene encoring and c4-type zinc finger-like domain. As is typical for genes encoding		
Reactivity Human;Mouse;Rat  Applications WB  Gene Name RPL37A  Protein Name 60S ribosomal protein L37a  Immunogen The antiserum was produced against synthesized peptide derived from human RPL37A. AA range:21-70  Specificity Ribosomal Protein L37A Monoclonal Antibody detects endogenous levels of Ribosomal Protein L37A protein.  Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide Monoclonal, Mouse, IgG  Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution WB 1:500-2000  Concentration 1 mg/ml  Purity 290%  Storage Stability -20°C/1 year  Synonyms RPL37A; 60S ribosomal protein L37a  Observed Band 10kD  Cell Pathway nucleus, cytosol, ribosome, focal adhesion, cytosolic large ribosomal subunit, extracellular exosome, Tissue Specificity B-cell, Brain, Cerebellum, Nasal polyp, Pancreas, Salivary gland, Skin, Testis, Function similarity: Belongs to the ribosomal protein L37Ae family.,  Ribosomes, the organelles that catalyze protein synthesis, consist of a sm subunit and a large 60S subunit. Together these subunits are composed of species and approximately 80 structurally distinct proteins. This gene enco ribosomal protein that is a component of the 60S subunit. The protein belothe L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein belon than a C4-type zince finger-like domain. As is typical forgenes encoding protein stars.	Catalog No	BYmab-04145
Applications WB  Gene Name RPL37A  Protein Name 60S ribosomal protein L37a  Immunogen The antiserum was produced against synthesized peptide derived from hur RPL37A. AA range:21-70  Specificity Ribosomal Protein L37A Monoclonal Antibody detects endogenous levels of Ribosomal Protein L37A protein.  Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide Source Monoclonal, Mouse, IgG  Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution WB 1:500-2000  Concentration 1 mg/ml  Purity ≥90%  Storage Stability -20°C/1 year  Synonyms RPL37A; 60S ribosomal protein L37a  Observed Band 10kD  Cell Pathway nucleus, cytosol, ribosome, focal adhesion, cytosolic large ribosomal subunit, extracellular exosome,  Tissue Specificity B-cell, Brain, Cerebellum, Nasal polyp, Pancreas, Salivary gland, Skin, Testis, Function similarity: Belongs to the ribosomal protein L37Ae family.  Ribosomes, the organelles that catalyze protein synthesis, consist of a sm subunit and a large 60S subunit. Together these subunits are composed of species and approximately 80 structurally distinct proteins. This gene encoribosomal protein that is a component of the 60S subunit. The protein belof the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein belof the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein belof the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein belof the Contains a C4-type zinc finger-like domain. As is typical for genes encoding or contains.	Isotype	IgG
Gene Name RPL37A  Protein Name 60S ribosomal protein L37a  Immunogen The antiserum was produced against synthesized peptide derived from hur RPL37A. AA range:21-70  Specificity Ribosomal Protein L37A Monoclonal Antibody detects endogenous levels of Ribosomal Protein L37A protein.  Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide Monoclonal, Mouse, IgG  Source Monoclonal, Mouse, IgG  Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution WB 1:500-2000  Concentration 1 mg/ml  Purity ≥90%  Storage Stability -20°C/1 year  Synonyms RPL37A; 60S ribosomal protein L37a  Observed Band 10kD  Cell Pathway nucleus, cytosol, ribosome, focal adhesion, cytosolic large ribosomal subunit, extracellular exosome,  Tissue Specificity B-cell, Brain, Cerebellum, Nasal polyp, Pancreas, Salivary gland, Skin, Testis, subunit and a large 60S subunit. Together these subunits are composed of species and approximately 80 structurally distinct proteins. This gene enco ribosomal protein that is a component of the 60S subunit. The protein belof the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein belof the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein belof the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein belof the L37AE family of ribosomal proteins. As is typical for genes encoding or servers.	Reactivity	Human;Mouse;Rat
Protein Name 60S ribosomal protein L37a  Immunogen The antiserum was produced against synthesized peptide derived from humogen RPL37A. AA range:21-70  Specificity Ribosomal Protein L37A Monoclonal Antibody detects endogenous levels of Ribosomal Protein L37A protein.  Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide Source Monoclonal, Mouse, IgG  Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution WB 1:500-2000  Concentration 1 mg/ml  Purity ≥90% Storage Stability -20°C/1 year  Synonyms RPL37A; 60S ribosomal protein L37a  Observed Band 10kD  Cell Pathway nucleus, cytosol, ribosome, focal adhesion, cytosolic large ribosomal subunit, extracellular exosome, Tissue Specificity B-cell, Brain, Cerebellum, Nasal polyp, Pancreas, Salivary gland, Skin, Testis, Function Ribosomes, the organelles that catalyze protein synthesis, consist of a sm subunit and a large 60S subunit. Together these subunits are composed of species and approximately 80 structurally distinct proteins. This gene encoribosomal protein that is a component of the 60S subunit. The protein belof the L37AE family of ribosomal proteins. It is located in the cytoplasm. The contains a C4-type zinc finger-like domain. As is typical for genes encoding	Applications	WB
Immunogen  The antiserum was produced against synthesized peptide derived from hun RPL37A. AA range:21-70  Specificity  Ribosomal Protein L37A Monoclonal Antibody detects endogenous levels of Ribosomal Protein L37A protein.  Formulation  Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide Source  Monoclonal, Mouse, IgG  Purification  The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution  WB 1:500-2000  Concentration  1 mg/ml  Purity  ≥90%  Storage Stability  -20°C/1 year  Synonyms  RPL37A; 60S ribosomal protein L37a  Observed Band  10kD  Cell Pathway  nucleus, cytosol, ribosome, focal adhesion, cytosolic large ribosomal subunit, extracellular exosome, Tissue Specificity  B-cell, Brain, Cerebellum, Nasal polyp, Pancreas, Salivary gland, Skin, Testis, similarity: Belongs to the ribosomal protein L37Ae familly of, these subunits are composed of species and approximately 80 structurally distinct proteins. This gene encoribosomal protein that is a component of the 60S subunit. The protein belon the L37AE familly of ribosomal proteins. It is located in the cytoplasm. The protein belon the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein belon the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein belon the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein belon the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein belon the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein belon the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein belon the contains a C4-type zinc finger-like domain. As is typical for genes encoding.	Gene Name	RPL37A
RPL37A. AA range:21-70  Specificity Ribosomal Protein L37A Monoclonal Antibody detects endogenous levels of Ribosomal Protein L37A protein.  Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide Source Monoclonal, Mouse, IgG  Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution WB 1:500-2000  Concentration 1 mg/ml  Purity ≥90%  Storage Stability -20°C/1 year  Synonyms RPL37A; 60S ribosomal protein L37a  Observed Band 10kD  Cell Pathway nucleus, cytosol, ribosome, focal adhesion, cytosolic large ribosomal subunit, extracellular exosome,  Tissue Specificity B-cell, Brain, Cerebellum, Nasal polyp, Pancreas, Salivary gland, Skin, Testis, Function similarity: Belongs to the ribosomal protein L37Ae family.,  Ribosomes, the organelles that catalyze protein synthesis, consist of a sm subunit and a large 60S subunit. Together these subunits are composed of species and approximately 80 structurally distinct proteins. This gene encoribosomal protein that is a component of the 60S subunit. The protein belong the L37AE family of ribosomal proteins. It is located in the cytoplasm. The contains a C4-type zinc finger-like domain. As is typical for genes encoding	Protein Name	60S ribosomal protein L37a
Ribosomal Protein L37A protein.  Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide  Source Monoclonal, Mouse, IgG  Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution WB 1:500-2000  Concentration 1 mg/ml  Purity ≥90%  Storage Stability -20°C/1 year  Synonyms RPL37A; 60S ribosomal protein L37a  Observed Band 10kD  Cell Pathway nucleus, cytosol, ribosome, focal adhesion, cytosolic large ribosomal subunit, extracellular exosome,  Tissue Specificity B-cell, Brain, Cerebellum, Nasal polyp, Pancreas, Salivary gland, Skin, Testis, similarity: Belongs to the ribosomal protein L37Ae family.  Ribosomes, the organelles that catalyze protein synthesis, consist of a sm subunit and a large 60S subunit. Together these subunits are composed of species and approximately 80 structurally distinct proteins. This gene encoribosomal protein that is a component of the 60S subunit. The protein below the L37AE family of ribosomal proteins. It is located in the cytoplasm. The contains a C4-type zinc finger-like domain. As is typical for genes encoding	Immunogen	The antiserum was produced against synthesized peptide derived from human RPL37A. AA range:21-70
Source Monoclonal, Mouse, IgG  Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution WB 1:500-2000  Concentration 1 mg/ml  Purity ≥90%  Storage Stability -20°C/1 year  Synonyms RPL37A; 60S ribosomal protein L37a  Observed Band 10kD  Cell Pathway nucleus, cytosol, ribosome, focal adhesion, cytosolic large ribosomal subunit, extracellular exosome, Tissue Specificity B-cell, Brain, Cerebellum, Nasal polyp, Pancreas, Salivary gland, Skin, Testis, Function similarity: Belongs to the ribosomal protein L37Ae family.,  Ribosomes, the organelles that catalyze protein synthesis, consist of a sm subunit and a large 60S subunit. Together these subunits are composed of species and approximately 80 structurally distinct proteins. This gene enco ribosomal protein that is a component of the 60S subunit. The protein belof the L37AE family of ribosomal proteins. It is located in the cytoplasm. The pcontains a C4-type zinc finger-like domain. As is typical for genes encoding.	Specificity	Ribosomal Protein L37A Monoclonal Antibody detects endogenous levels of Ribosomal Protein L37A protein.
Purification  The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution  WB 1:500-2000  Concentration  1 mg/ml  Purity  ≥90%  Storage Stability  -20°C/1 year  Synonyms  RPL37A; 60S ribosomal protein L37a  Observed Band  10kD  Cell Pathway  nucleus cytosol, ribosome, focal adhesion, cytosolic large ribosomal subunit, extracellular exosome,  Tissue Specificity  B-cell, Brain, Cerebellum, Nasal polyp, Pancreas, Salivary gland, Skin, Testis,  Function  Similarity: Belongs to the ribosomal protein L37Ae family.,  Ribosomes, the organelles that catalyze protein synthesis, consist of a sm subunit and a large 60S subunit. Together these subunits are composed of species and approximately 80 structurally distinct proteins. This gene encoribosomal protein that is a component of the 60S subunit. The protein belof the L37AE family of ribosomal proteins. It is located in the cytoplasm. The contains a C4-type zinc finger-like domain. As is typical for genes encoding	Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
affinity-chromatography using epitope-specific immunogen.  Dilution WB 1:500-2000  Concentration 1 mg/ml  Purity ≥90%  Storage Stability -20°C/1 year  Synonyms RPL37A; 60S ribosomal protein L37a  Observed Band 10kD  Cell Pathway nucleus,cytosol,ribosome,focal adhesion,cytosolic large ribosomal subunit,extracellular exosome,  Tissue Specificity B-cell,Brain,Cerebellum,Nasal polyp,Pancreas,Salivary gland,Skin,Testis,  Function similarity:Belongs to the ribosomal protein L37Ae family.,  Ribosomes, the organelles that catalyze protein synthesis, consist of a sm subunit and a large 60S subunit. Together these subunits are composed of species and approximately 80 structurally distinct proteins. This gene encoribosomal protein that is a component of the 60S subunit. The protein belon the L37AE family of ribosomal proteins. It is located in the cytoplasm. The proteints a C4-type zinc finger-like domain. As is typical for genes encoding	Source	Monoclonal, Mouse,IgG
Concentration       1 mg/ml         Purity       ≥90%         Storage Stability       -20°C/1 year         Synonyms       RPL37A; 60S ribosomal protein L37a         Observed Band       10kD         Cell Pathway       nucleus,cytosol,ribosome,focal adhesion,cytosolic large ribosomal subunit,extracellular exosome,         Tissue Specificity       B-cell,Brain,Cerebellum,Nasal polyp,Pancreas,Salivary gland,Skin,Testis,         Function       similarity:Belongs to the ribosomal protein L37Ae family.,         Background       Ribosomes, the organelles that catalyze protein synthesis, consist of a sm subunit and a large 60S subunit. Together these subunits are composed of species and approximately 80 structurally distinct proteins. This gene encoribosomal protein that is a component of the 60S subunit. The protein below the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein sent proteins at C4-type zinc finger-like domain. As is typical for genes encoding	Purification	·
Purity ≥90%  Storage Stability -20°C/1 year  Synonyms RPL37A; 60S ribosomal protein L37a  Observed Band 10kD  Cell Pathway nucleus,cytosol,ribosome,focal adhesion,cytosolic large ribosomal subunit,extracellular exosome,  Tissue Specificity B-cell,Brain,Cerebellum,Nasal polyp,Pancreas,Salivary gland,Skin,Testis,  Function similarity:Belongs to the ribosomal protein L37Ae family.,  Ribosomes, the organelles that catalyze protein synthesis, consist of a sm subunit and a large 60S subunit. Together these subunits are composed of species and approximately 80 structurally distinct proteins. This gene enco ribosomal protein that is a component of the 60S subunit. The protein below the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein below the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein below the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein below the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein below the L37AE family of ribosomal proteins. As is typical for genes encoding.	Dilution	WB 1:500-2000
Storage Stability  -20°C/1 year  Synonyms  RPL37A; 60S ribosomal protein L37a  Observed Band  10kD  Cell Pathway  nucleus,cytosol,ribosome,focal adhesion,cytosolic large ribosomal subunit,extracellular exosome,  Tissue Specificity  B-cell,Brain,Cerebellum,Nasal polyp,Pancreas,Salivary gland,Skin,Testis,  Function  similarity:Belongs to the ribosomal protein L37Ae family.,  Ribosomes, the organelles that catalyze protein synthesis, consist of a sm subunit and a large 60S subunit. Together these subunits are composed of species and approximately 80 structurally distinct proteins. This gene enco ribosomal protein that is a component of the 60S subunit. The protein belon the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein sencontains a C4-type zinc finger-like domain. As is typical for genes encoding	Concentration	1 mg/ml
Synonyms RPL37A; 60S ribosomal protein L37a  Observed Band 10kD  Cell Pathway nucleus,cytosol,ribosome,focal adhesion,cytosolic large ribosomal subunit,extracellular exosome,  Tissue Specificity B-cell,Brain,Cerebellum,Nasal polyp,Pancreas,Salivary gland,Skin,Testis,  Function similarity:Belongs to the ribosomal protein L37Ae family.,  Ribosomes, the organelles that catalyze protein synthesis, consist of a sm subunit and a large 60S subunit. Together these subunits are composed of species and approximately 80 structurally distinct proteins. This gene encoribosomal protein that is a component of the 60S subunit. The protein below the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein a C4-type zinc finger-like domain. As is typical for genes encoding	Purity	≥90%
Observed Band  Cell Pathway  nucleus,cytosol,ribosome,focal adhesion,cytosolic large ribosomal subunit,extracellular exosome,  Tissue Specificity  B-cell,Brain,Cerebellum,Nasal polyp,Pancreas,Salivary gland,Skin,Testis,  Function  Similarity:Belongs to the ribosomal protein L37Ae family.,  Ribosomes, the organelles that catalyze protein synthesis, consist of a sm subunit and a large 60S subunit. Together these subunits are composed of species and approximately 80 structurally distinct proteins. This gene enco ribosomal protein that is a component of the 60S subunit. The protein below the L37AE family of ribosomal proteins. It is located in the cytoplasm. The proteins a C4-type zinc finger-like domain. As is typical for genes encoding	Storage Stability	-20°C/1 year
Cell Pathway  nucleus,cytosol,ribosome,focal adhesion,cytosolic large ribosomal subunit,extracellular exosome,  Tissue Specificity  B-cell,Brain,Cerebellum,Nasal polyp,Pancreas,Salivary gland,Skin,Testis,  similarity:Belongs to the ribosomal protein L37Ae family.,  Ribosomes, the organelles that catalyze protein synthesis, consist of a sm subunit and a large 60S subunit. Together these subunits are composed of species and approximately 80 structurally distinct proteins. This gene encoribosomal protein that is a component of the 60S subunit. The protein below the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein a C4-type zinc finger-like domain. As is typical for genes encoding	Synonyms	RPL37A; 60S ribosomal protein L37a
subunit,extracellular exosome,  B-cell,Brain,Cerebellum,Nasal polyp,Pancreas,Salivary gland,Skin,Testis,  Function  Background  Ribosomes, the organelles that catalyze protein synthesis, consist of a sm subunit and a large 60S subunit. Together these subunits are composed of species and approximately 80 structurally distinct proteins. This gene encoribosomal protein that is a component of the 60S subunit. The protein below the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein a C4-type zinc finger-like domain. As is typical for genes encoding	Observed Band	10kD
Tissue Specificity  B-cell,Brain,Cerebellum,Nasal polyp,Pancreas,Salivary gland,Skin,Testis, similarity:Belongs to the ribosomal protein L37Ae family.,  Ribosomes, the organelles that catalyze protein synthesis, consist of a sm subunit and a large 60S subunit. Together these subunits are composed of species and approximately 80 structurally distinct proteins. This gene encoribosomal protein that is a component of the 60S subunit. The protein below the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein a C4-type zinc finger-like domain. As is typical for genes encoding	Cell Pathway	
Ribosomes, the organelles that catalyze protein synthesis, consist of a sm subunit and a large 60S subunit. Together these subunits are composed of species and approximately 80 structurally distinct proteins. This gene enco ribosomal protein that is a component of the 60S subunit. The protein below the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein a C4-type zinc finger-like domain. As is typical for genes encoding	Tissue Specificity	B-cell,Brain,Cerebellum,Nasal polyp,Pancreas,Salivary gland,Skin,Testis,
subunit and a large 60S subunit. Together these subunits are composed of species and approximately 80 structurally distinct proteins. This gene encoribosomal protein that is a component of the 60S subunit. The protein below the L37AE family of ribosomal proteins. It is located in the cytoplasm. The proteins a C4-type zinc finger-like domain. As is typical for genes encoding	Function	similarity:Belongs to the ribosomal protein L37Ae family.,
ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome. [provided by RefSeq, Jul 2008],	Background	Ribosomes, the organelles that catalyze protein synthesis, consist of a small 405 subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 60S subunit. The protein belongs to the L37AE family of ribosomal proteins. It is located in the cytoplasm. The protein contains a C4-type zinc finger-like domain. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome. [provided by RefSeq, Jul 2008],

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658






matters needing attention

Avoid repeated freezing and thawing!

**Usage suggestions** 

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## **Products Images**



Western Blot analysis of various cells using Ribosomal Protein L37A Monoclonal Antibody

Nanjing BYabscience technology Co.,Ltd