



TF2H4 Monoclonal Antibody

Catalog No	BYmab-05014
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB
Gene Name	GTF2H4
Protein Name	General transcription factor IIH subunit 4 (Basic transcription factor 2 52 kDa subunit) (BTF2 p52) (General transcription factor IIH polypeptide 4) (TFIIH basal transcription factor complex p52 subun
Immunogen	Synthesized peptide derived from human protein . at AA range: 380-460
Specificity	TF2H4 Monoclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	50kD
Cell Pathway	Nucleus.
Tissue Specificity	Coronary artery,Peripheral blood leukocyte,Pre-B cell,Skin,
Function	function:Component of the core-TFIIH basal transcription factor involved in nucleotide excision repair (NER) of DNA and, when complexed to CAK, in RNA transcription by RNA polymerase II.,similarity:Belongs to the TFB2 family.,subunit:One of the six subunits forming the core-TFIIH basal transcription factor.,
Background	function:Component of the core-TFIIH basal transcription factor involved in nucleotide excision repair (NER) of DNA and, when complexed to CAK, in RNA transcription by RNA polymerase II.,similarity:Belongs to the TFB2 family.,subunit:One of the six subunits forming the core-TFIIH basal transcription factor.,

Nanjing BYabscience technology Co.,Ltd



matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images