



CTSRB Monoclonal Antibody

Catalog No	BYmab-05441
Isotype	lgG
Reactivity	Human;Rat;Mouse;
Applications	WB
Gene Name	CATSPERB C14orf161
Protein Name	Cation channel sperm-associated protein subunit beta (CatSper-beta)
Immunogen	Synthesized peptide derived from part region of human protein
Specificity	CTSRB Monoclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
	× 000/
Purity	≥90%
Purity Storage Stability	≥90% -20°C/1 year
-	
Storage Stability	
Storage Stability Synonyms	-20°C/1 year
Storage Stability Synonyms Observed Band	-20°C/1 year 122kD Cell projection, cilium, flagellum membrane ; Single-pass membrane protein .
Storage Stability Synonyms Observed Band Cell Pathway	-20°C/1 year 122kD Cell projection, cilium, flagellum membrane ; Single-pass membrane protein . Predominantly located in the principal piece of the sperm tail
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	 -20°C/1 year 122kD Cell projection, cilium, flagellum membrane ; Single-pass membrane protein . Predominantly located in the principal piece of the sperm tail Epithelium,Placenta,Testis, function:Probably involved in sperm cell hyperactivation via its association with CATSPER1. Sperm cell hyperactivation is needed for sperm motility which is essential late in the preparation of sperm for fertilizationsubunit:Component of a
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	 -20°C/1 year 122kD Cell projection, cilium, flagellum membrane ; Single-pass membrane protein . Predominantly located in the principal piece of the sperm tail Epithelium,Placenta,Testis, function:Probably involved in sperm cell hyperactivation via its association with CATSPER1. Sperm cell hyperactivation is needed for sperm motility which is essential late in the preparation of sperm for fertilization.,subunit:Component of a complex, at least composed of CATSPER1, HSPA1B and CATSPERB., function:Probably involved in sperm cell hyperactivation via its association with CATSPER1. Sperm cell hyperactivation is needed for sperm motility which is essential late in the preparation of sperm for fertilization.,subunit:Component of a complex, at least composed of CATSPER1, HSPA1B and CATSPERB.,

Nanjing BYabscience technology Co.,Ltd

网址:www.njbybio.com 官方热线:025-5229-8998 监督



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images

Nanjing BYabscience technology Co.,Ltd