



MUC7 Monoclonal Antibody

BYmab-05755
lgG
Human;Rat;Mouse;
WB
MUC7 MG2
Mucin-7 (MUC-7) (Apo-MG2) (Salivary mucin-7)
Synthesized peptide derived from human protein . at AA range: 40-120
MUC7 Monoclonal Antibody detects endogenous levels of protein.
Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Monoclonal, Mouse,IgG
The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
WB 1:500-2000
1 mg/ml
≥90%
-20°C/1 year
41kD
Secreted .
Expressed in salivary gland tissues and only in those that contain mucous acinar cells (e.g. sublingual and submandibular glands) and not in salivary glands containing only serous acinar cells (e.g. parotid gland).
disease:MUC7 alleles are associated with susceptibility to asthma [MIM:600807]. The MUC7*5 allele is rarer in the atopic asthmatics than in the atopic non-asthmatics. Comparison of all atopic individuals with all nonatopic shows no difference, while comparison of all asthmatic individuals with all non-asthmatic shows that the asthmatic group has reduced MUC7*5 frequency. The significantly lower frequency of the MUC7*5 allele in individuals with atopic asthma was explained by the possible association between alleles and different interactions with bacteria, since the glycosylated domain is thought to be responsible, at least in part, for the bacterial binding that allows bacteria to be cleared from the epithelial surfaces.,function:May function in a protective capacity by promoting the

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658




国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



Background	mucin 7, secreted(MUC7) Homo sapiens This gene encodes a small salivary mucin, which is thought to play a role in facilitating the clearance of bacteria in the oral cavity and to aid in mastication, speech, and swallowing. The central domain of this glycoprotein contains tandem repeats, each composed of 23 amino acids. This antimicrobial protein has antibacterial and antifungal activity. The most common allele contains 6 repeats, and some alleles may be associated with susceptibility to asthma. Alternatively spliced transcript variants with different 5' UTR, but encoding the same protein, have been found for this gene. [provided by RefSeq, Oct 2014],
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

swallowing, Binds P.aeru

Products Images



Western Blot analysis of various cells using MUC7 Monoclonal Antibody

Nanjing BYabscience technology Co.,Ltd