



CHL1 Monoclonal Antibody

Catalog No	BYmab-05822
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB
Gene Name	CHL1 CALL
Protein Name	Neural cell adhesion molecule L1-like protein (Close homolog of L1) [Cleaved into: Processed neural cell adhesion molecule L1-like protein]
Immunogen	Synthesized peptide derived from human protein . at AA range: 140-220
Specificity	CHL1 Monoclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	132kD
Cell Pathway	Cell membrane ; Single-pass type I membrane protein . Soluble forms produced by cleavage/shedding also exist. .; [Processed neural cell adhesion molecule L1-like protein]: Secreted, extracellular space, extracellular matrix .
Tissue Specificity	Expressed in the fetal and adult brain as well as in Schwann cell culture. Also detected in adult peripheral tissues.
Function	disease:The deletion of 1 copy of the CHL1 may be responsible for mental defects in patients with 3p- syndrome. 3p- syndrome results from deletion of a terminal segment of the short arm of one chromosome 3 and is characterized by multiple congenital anomalies and mental retardation.,domain:The DGEA motif seems to be a recognition site for integrin.,domain:The FIG[AQ]Y motif seems to be an ankyrin recruitment region.,function:Extracellular matrix and cell adhesion protein that plays a role in nervous system development and in synaptic plasticity. Both soluble and membranous forms promote neurite outgrowth of cerebellar and hippocampal neurons and suppress neuronal cell death. Plays a role in neuronal positioning of pyramidal neurons and in regulation of both the number of

Nanjing BYabscience technology Co.,Ltd



interneurons and the efficacy of GABAergic synapses. May play a role in regulating cell migration in nerve regeneratio

Background

The protein encoded by this gene is a member of the L1 gene family of neural cell adhesion molecules. It is a neural recognition molecule that may be involved in signal transduction pathways. The deletion of one copy of this gene may be responsible for mental defects in patients with 3p- syndrome. This protein may also play a role in the growth of certain cancers. Alternate splicing results in both coding and non-coding variants. [provided by RefSeq, Nov 2011],

matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com

官方热线: 025-5229-8998

监督电话: 15950492658