




KCNKG Monoclonal Antibody

| Catalog No | BYmab-05947 |
|--------------------|---|
| Isotype | IgG |
| Reactivity | Human;Rat;Mouse; |
| Applications | WB |
| Gene Name | KCNK16 TALK1 |
| Protein Name | Potassium channel subfamily K member 16 (2P domain potassium channel Talk-1) (TWIK-related alkaline pH-activated K(+) channel 1) (TALK-1) |
| Immunogen | Synthesized peptide derived from human protein . at AA range: 230-310 |
| Specificity | KCNKG Monoclonal Antibody detects endogenous levels of protein. |
| Formulation | Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. |
| Source | Monoclonal, Mouse,lgG |
| Purification | The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | WB 1:500-2000 |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | |
| Observed Band | 33kD |
| Cell Pathway | Membrane; Multi-pass membrane protein. |
| Tissue Specificity | Highly expressed in pancreas. Not detectable in the other tissues tested. |
| Function | function:Outward rectifying potassium channel. Produces rapidly activating and non-inactivating outward rectifier K(+) currents.,miscellaneous:Inhibited by Ba(2+), quinine, quinidine, chloroform and halothane. Activated at alkaline pH.,similarity:Belongs to the two pore domain potassium channel (TC 1.A.1.8) family.,subunit:Homodimer.,tissue specificity:Highly expressed in pancreas. Not detectable in the other tissues tested., |
| Background | potassium two pore domain channel subfamily K member 16(KCNK16) Homo sapiens The protein encoded by this gene belongs to the family of potassium channel proteins containing two pore-forming P domains. This channel is an open rectifier which primarily passes outward current under physiological K+ concentrations. This gene is expressed predominantly in the pancreas and is |

Nanjing BYabscience technology Co.,Ltd







| | activated at alkaline pH. Several alternatively spliced transcript variants encoding different isoforms have been identified for this gene. [provided by RefSeq, Sep 2008], |
|---------------------------|---|
| matters needing attention | Avoid repeated freezing and thawing! |
| Usage suggestions | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel. |

Products Images

