



PPR3D Monoclonal Antibody

Catalog No	BYmab-05982
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB
Gene Name	PPP1R3D PPP1R6
Protein Name	Protein phosphatase 1 regulatory subunit 3D (Protein phosphatase 1 regulatory subunit 6) (PP1 subunit R6) (Protein phosphatase 1-binding subunit R6)
Immunogen	Synthesized peptide derived from human protein . at AA range: 10-90
Specificity	PPR3D Monoclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	32kD
Cell Pathway	glycogen granule,intracellular membrane-bounded organelle,
Tissue Specificity	Expressed in all tissues tested. High expression in skeletal muscle and heart.
Function	domain:The CBM21 domain is known to be involved in the localization to glycogen and is characteristic of some regulatory subunit of phosphatase complexes.,function:Seems to act as a glycogen-targeting subunit for PP1. PP1 is essential for cell division, and participates in the regulation of glycogen metabolism, muscle contractility and protein synthesis.,similarity:Contains 1 CBM21 (carbohydrate binding type-21) domain.,subunit:Interacts with PPP1CC catalytic subunit of PP1, and associates with glycogen.,tissue specificity:Expressed in all tissue tested. High expression in skeletal muscle and heart.,
Background	Phosphorylation of serine and threonine residues in proteins is a crucial step in the regulation of many cellular functions ranging from hormonal regulation to cell

Nanjing BYabscience technology Co.,Ltd



division and even short-term memory. The level of phosphorylation is controlled by the opposing actions of protein kinases and protein phosphatases. Protein phosphatase 1 (PP1) is 1 of 4 major serine/threonine-specific protein phosphatases which have been identified in eukaryotic cells. PP1 associates with various regulatory subunits that dictate its subcellular localization and modulate its substrate specificity. Several subunits that target PP1 to glycogen have been identified. This gene encodes a glycogen-targeting subunit of PP1. [provided by RefSeq, Jul 2008],


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using PPR3D Monoclonal Antibody