





Catalog No BYmab-06254 Isotype IgG Reactivity Human;Rat;Mouse Applications WB Gene Name VAT1 Protein Name Synaptic vesicle membrane protein VAT-1 homolog (EC 1Immunogen) Immunogen Synthesized peptide derived from part region of human protein Specificity VAT1 Monoclonal Antibody detects endogenous levels of protein Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azion Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 43kD Cell Pathway Cytoplasm, Mitochondrion outer membrane; Peripheral membrangiority is localized in the cytoplasm and a small amount is as mitochondria.	
Reactivity Human;Rat;Mouse Applications WB Gene Name VAT1 Protein Name Synaptic vesicle membrane protein VAT-1 homolog (EC 1 Immunogen Synthesized peptide derived from part region of human protein Specificity VAT1 Monoclonal Antibody detects endogenous levels of protein Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium az Source Monoclonal, Mouse,IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 43kD Cell Pathway Cytoplasm. Mitochondrion outer membrane; Peripheral membranej majority is localized in the cytoplasm and a small amount is as mitochondria	
Applications Gene Name VAT1 Protein Name Synaptic vesicle membrane protein VAT-1 homolog (EC 1 Immunogen Synthesized peptide derived from part region of human protein Specificity VAT1 Monoclonal Antibody detects endogenous levels of protein Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azon Monoclonal, Mouse, lgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 43kD Cell Pathway Cytoplasm. Mitochondrion outer membrane; Peripheral membrane majority is localized in the cytoplasm and a small amount is as mitochondria	
Gene Name VAT1 Protein Name Synaptic vesicle membrane protein VAT-1 homolog (EC 1) Immunogen Synthesized peptide derived from part region of human protein Specificity VAT1 Monoclonal Antibody detects endogenous levels of protein Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium az Source Monoclonal, Mouse, lgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 43kD Cell Pathway Cytoplasm. Mitochondrion outer membrane; Peripheral membrane; majority is localized in the cytoplasm and a small amount is as mitochondria.	
Protein Name Synaptic vesicle membrane protein VAT-1 homolog (EC 1	
Immunogen Synthesized peptide derived from part region of human protein Specificity VAT1 Monoclonal Antibody detects endogenous levels of protein Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium az Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 43kD Cell Pathway Cytoplasm. Mitochondrion outer membrane; Peripheral membrangiority is localized in the cytoplasm and a small amount is assimitochondria	
Specificity VAT1 Monoclonal Antibody detects endogenous levels of protest Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium aze Source Monoclonal, Mouse, lgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 43kD Cell Pathway Cytoplasm. Mitochondrion outer membrane; Peripheral membrane majority is localized in the cytoplasm and a small amount is as mitochondria.)
Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium az Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band Cell Pathway Cytoplasm. Mitochondrion outer membrane; Peripheral membrane; majority is localized in the cytoplasm and a small amount is as mitochondria.	1
Source Monoclonal, Mouse,IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 43kD Cell Pathway Cytoplasm. Mitochondrion outer membrane; Peripheral membrane; in the cytoplasm and a small amount is as mitochondria.	ein.
Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 43kD Cell Pathway Cytoplasm. Mitochondrion outer membrane; Peripheral membrane majority is localized in the cytoplasm and a small amount is as mitochondria	zide.
affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 43kD Cell Pathway Cytoplasm. Mitochondrion outer membrane; Peripheral membrane majority is localized in the cytoplasm and a small amount is as mitochondria.	
Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms -20°C/1 year Observed Band 43kD Cell Pathway Cytoplasm. Mitochondrion outer membrane; Peripheral membrane; majority is localized in the cytoplasm and a small amount is as mitochondria.	
Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 43kD Cell Pathway Cytoplasm. Mitochondrion outer membrane; Peripheral membrane majority is localized in the cytoplasm and a small amount is as mitochondria	
Storage Stability -20°C/1 year Synonyms Observed Band 43kD Cell Pathway Cytoplasm. Mitochondrion outer membrane; Peripheral membrane majority is localized in the cytoplasm and a small amount is assimitochondria.	
Synonyms Observed Band 43kD Cell Pathway Cytoplasm. Mitochondrion outer membrane; Peripheral membrane majority is localized in the cytoplasm and a small amount is as mitochondria.	
Observed Band Cell Pathway Cytoplasm. Mitochondrion outer membrane; Peripheral membrane majority is localized in the cytoplasm and a small amount is as mitochondria.	
Cytoplasm. Mitochondrion outer membrane; Peripheral membrane majority is localized in the cytoplasm and a small amount is as mitochondria.	
majority is localized in the cytoplasm and a small amount is as mitochondria.	
The Court is a Company of the Compan	rane protein. The sociated with
Tissue Specificity Expressed in brain. Also expressed in glioblastoma cells.	
Function similarity:Belongs to the zinc-containing alcohol dehydrogenas oxidoreductase subfamily.,	e family. Quinone
vesicle amine transport 1(VAT1) Homo sapiens Synaptic versponsible for regulating the storage and release of neurotran nerve terminal. The protein encoded by this gene is an abundate membrane protein of cholinergic synaptic vesicles and is though vesicular transport. It belongs to the quinone oxidoreductase static-containing alcohol dehydrogenase proteins. [provided by Fig. 2]	ant integral

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658






matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using VAT1 Monoclonal Antibody