



## ADCY3 Monoclonal Antibody

Catalog No	BYmab-06489
lsotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB
Gene Name	ADCY3 KIAA0511
Protein Name	Adenylate cyclase type 3 (EC 4.6.1.1) (ATP pyrophosphate-lyase 3) (Adenylate cyclase type III) (AC-III) (Adenylate cyclase, olfactive type) (Adenylyl cyclase 3) (AC3)
Immunogen	Synthesized peptide derived from human protein . at AA range: 950-1030
Specificity	ADCY3 Monoclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	125kD
Cell Pathway	Cell membrane ; Multi-pass membrane protein . Cytoplasm . Cell projection, cilium . Golgi apparatus . Also detected in the cytoplasm, close to lipid droplets
Tissue Specificity	Detected in zona glomerulosa and zona fasciculata in the adrenal gland (at protein level) (PubMed:11549699). Expressed in brain, heart, kidney, liver, lung, pancreas islets, placenta, and skeletal muscle (PubMed:9920776). Detected in testis (PubMed:15705663).
Function	catalytic activity:ATP = 3',5'-cyclic AMP + diphosphate.,cofactor:Binds 2 magnesium ions per subunit.,enzyme regulation:Activated by calcium/calmodulin.,function:Mediates odorant detection (possibly) via modulation of intracellular cAMP concentration.,similarity:Belongs to the adenylyl cyclase class-4/guanylyl cyclase family.,similarity:Contains 2 guanylate cyclase domains.,tissue specificity:Expressed in brain, heart, kidney, liver, lung, pancreas, placenta, and skeletal muscle.,

## Nanjing BYabscience technology Co.,Ltd



国内优质抗体供应商 精准的 WB 检测服务

24H 在线服务,欢迎咨询



Background	This gene encodes adenylyl cyclase 3 which is a membrane-associated enzyme and catalyzes the formation of the secondary messenger cyclic adenosine monophosphate (cAMP). This protein appears to be widely expressed in various human tissues and may be involved in a number of physiological and pathophysiological metabolic processes. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Feb 2016],	
matters needing attention	Avoid repeated freezing and thawing!	
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.	
Due du ste luce que		

**Products Images** 

Nanjing BYabscience technology Co.,Ltd