



ZN750 Monoclonal Antibody

BYmab-06495
IgG
Human;Mouse
WB
ZNF750
Zinc finger protein 750
Synthesized peptide derived from part region of human protein
ZN750 Monoclonal Antibody detects endogenous levels of protein.
Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Monoclonal, Mouse,IgG
The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
WB 1:500-2000
1 mg/ml
≥90%
-20°C/1 year
79kD
Nucleus .
Expressed in the skin, prostate, lung, placenta and thymus, and at low level in T-cells. Not expressed in peripheral blood leukocytes, pancreas and brain. Clearly expressed in primary keratinocytes but not in fibroblasts.
caution:Despite its name, it does not contain a canonical C2H2-type zinc-finger.,disease:Defects in ZNF750 are the cause of Seborrhea-like dermatitis with psoriasiform [MIM:610227]. Seborrhea-like dermatitis with psoriasiform is characterized by a chronic fine diffuse scaly erythematous rash on the face,

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



	but not in fibroblasts.,
Background	zinc finger protein 750(ZNF750) Homo sapiens This gene encodes a protein with a nuclear localization site and a C2H2 zinc finger domain. Mutations in this gene have been associated with seborrhea-like dermatitis with psoriasiform elements. [provided by RefSeq, Jul 2008],
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.
Products Images	

Nanjing BYabscience technology Co.,Ltd