



ZN709 Monoclonal Antibody

Catalog No BYmab-06539 Isotype IgG Reactivity Human;Rat;Mouse; Applications WB Gene Name ZNF709 Protein Name Zinc finger protein 709 Immunogen Synthesized peptide derived from part region of human protein Specificity ZN709 Monoclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 70kD Cell Pathway Nucleus Tissue Specificity Brain,Testicle, Function function:May be involved in transcriptional regulation, similarity, Belongs to the language of the process to the language of the part of the language o
Reactivity Human;Rat;Mouse; Applications WB Gene Name ZNF709 Protein Name Zinc finger protein 709 Immunogen Synthesized peptide derived from part region of human protein Specificity ZN709 Monoclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Monoclonal, Mouse,IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 70kD Cell Pathway Nucleus . Tissue Specificity Brain, Testicle, Function function:May be involved in transcriptional regulationsimilarity:Belongs to the
Applications WB Gene Name ZNF709 Protein Name Zinc finger protein 709 Immunogen Synthesized peptide derived from part region of human protein Specificity ZN709 Monoclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 70kD Cell Pathway Nucleus . Tissue Specificity Brain, Testicle, Function function: May be involved in transcriptional regulation, similarity: Belongs to the
Gene Name ZNF709 Protein Name Zinc finger protein 709 Immunogen Synthesized peptide derived from part region of human protein Specificity ZN709 Monoclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Monoclonal, Mouse, lgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 70kD Cell Pathway Nucleus . Function function:May be involved in transcriptional regulationsimilarity:Belongs to the
Protein Name Zinc finger protein 709 Immunogen Synthesized peptide derived from part region of human protein Specificity ZN709 Monoclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Monoclonal, Mouse, lgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 70kD Cell Pathway Nucleus . Tissue Specificity Brain, Testicle, Function function: May be involved in transcriptional regulationsimilarity: Belongs to the
Immunogen Synthesized peptide derived from part region of human protein Specificity ZN709 Monoclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Monoclonal, Mouse, lgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 70kD Cell Pathway Nucleus . Function function:May be involved in transcriptional regulationsimilarity:Belongs to the
Specificity ZN709 Monoclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 70kD Cell Pathway Nucleus . Tissue Specificity Brain, Testicle, Function function: May be involved in transcriptional regulation, similarity: Belongs to the
Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Monoclonal, Mouse, lgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 70kD Cell Pathway Nucleus. Tissue Specificity Brain, Testicle, Function function: May be involved in transcriptional regulationsimilarity: Belongs to the
Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 70kD Cell Pathway Nucleus . Tissue Specificity Brain,Testicle, Function function:May be involved in transcriptional regulationsimilarity:Belongs to the
Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 70kD Cell Pathway Nucleus . Tissue Specificity Brain, Testicle, Function function:May be involved in transcriptional regulationsimilarity:Belongs to the
affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 70kD Cell Pathway Nucleus . Tissue Specificity Brain, Testicle, Function function: May be involved in transcriptional regulationsimilarity:Belongs to the
Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band Cell Pathway Nucleus . Tissue Specificity Brain,Testicle, Function function:May be involved in transcriptional regulationsimilarity:Belongs to the
Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 70kD Cell Pathway Nucleus . Tissue Specificity Brain, Testicle, Function function: May be involved in transcriptional regulationsimilarity:Belongs to the
Storage Stability -20°C/1 year Synonyms Observed Band 70kD Cell Pathway Nucleus . Tissue Specificity Brain, Testicle, Function function: May be involved in transcriptional regulationsimilarity: Belongs to the
Synonyms Observed Band 70kD Cell Pathway Nucleus . Tissue Specificity Brain, Testicle, Function function: May be involved in transcriptional regulationsimilarity: Belongs to the
Observed Band 70kD Cell Pathway Nucleus . Tissue Specificity Brain, Testicle, Function function: May be involved in transcriptional regulationsimilarity: Belongs to the
Cell Pathway Nucleus . Tissue Specificity Brain, Testicle, Function function: May be involved in transcriptional regulationsimilarity: Belongs to the
Tissue Specificity Brain, Testicle, function: May be involved in transcriptional regulationsimilarity: Belongs to the
Function function: May be involved in transcriptional regulationsimilarity: Belongs to the
Function function: May be involved in transcriptional regulation., similarity: Belongs to the
krueppel C2H2-type zinc-finger protein family, similarity:Contains 1 KRAB domain, similarity:Contains 19 C2H2-type zinc fingers.,
Background function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 19 C2H2-type zinc fingers.,
matters needing Avoid repeated freezing and thawing! attention

Nanjing BYabscience technology Co.,Ltd



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images

Nanjing BYabscience technology Co.,Ltd