




GRIK5 Monoclonal Antibody

Catalog No	BYmab-06612
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB
Gene Name	GRIK5 GRIK2
Protein Name	Glutamate receptor, ionotropic kainate 5 (Excitatory amino acid receptor 2) (EAA2) (Glutamate receptor KA-2) (KA2)
Immunogen	Synthesized peptide derived from human protein . at AA range: 910-990
Specificity	GRIK5 Monoclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	107kD
Cell Pathway	Cell membrane; Multi-pass membrane protein. Cell junction, synapse, postsynaptic cell membrane; Multi-pass membrane protein.
Tissue Specificity	Erythroleukemia,Hippocampus,
	Li yii ii oleukeiiila,i iippocairipus,
Function	function:Receptor for glutamate. L-glutamate acts as an excitatory neurotransmitter at many synapses in the central nervous system. The postsynaptic actions of Glu are mediated by a variety of receptors that are named according to their selective agonists. This receptor binds kainate > quisqualate >
Function	function:Receptor for glutamate. L-glutamate acts as an excitatory neurotransmitter at many synapses in the central nervous system. The postsynaptic actions of Glu are mediated by a variety of receptors that are named according to their selective agonists. This receptor binds kainate > quisqualate > domoate > L-glutamate >> AMPA >> NMDA = 1S,3R-ACPD.,similarity:Belongs to the glutamate-gated ion channel (TC 1.A.10) family.,subunit:Associates with GRIK1 (both edited and unedited versions), GRIK2, or GRIK3 to form functional

Nanjing BYabscience technology Co.,Ltd







	protein-coupled membrane receptors. The protein encoded by this gene forms functional heteromeric kainate-preferring ionic channels with the subunits encoded by related gene family members. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2014],
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658