



STRN3 Monoclonal Antibody

dependent manner. May function as scaffolding or signaling protein., similarity:Belongs to the WD repeat striatin family., similarity:Contains 6 WD repeats., subunit:Interacts with protein phosphatase 2A (PP2A)., Background alternative products:Additional isoforms seem to exist, caution:Was originally		
Reactivity Human;Mouse;Rat Applications WB Gene Name STRN3 GS2NA SG2NA Protein Name Striatin-3 (Cell cycle autoantigen SG2NA) (S/G2 antigen) Immunogen Synthesized peptide derived from part region of human protein AA range: 146-196 Specificity STRN3 Monoclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 87kD Cell Pathway Cytoplasm . Membrane ; Peripheral membrane protein . Tissue Specificity Epithelium, Liver, (PubMed: 7864889) thought to be nuclear, function Binds calmodulin in a calciur dependent manner. May function as scaffolding or signaling protein, similarity Belongs to the WD repeat sitratin family, similarity: Contains 6 WD repeats, subunit.Interacts with protein phosphatase 2A (PP2A)., Background alternative products: Additional isoforms seem to exist, caution: Was origin	Catalog No	BYmab-06671
Applications WB Gene Name STRN3 GS2NA SG2NA Protein Name Striatin-3 (Cell cycle autoantigen SG2NA) (S/G2 antigen) Immunogen Synthesized peptide derived from part region of human protein AA range: 146-196 Specificity STRN3 Monoclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 87kD Cell Pathway Cytoplasm . Membrane ; Peripheral membrane protein . Epithelium, Liver, Function alternative products: Additional isoforms seem to exist, caution: Was originally (PubMed: 7864889) thought to be nuclear, function: Binds calmodulin in a calciur dependent manner. May function as scaffolding or signaling protein, similarity Belongs to the WD repeat straint family . similarity: Contains 6 WD repeats, subunit: Interacts with protein phosphatase 2A (PP2A)., alternative products: Additional isoforms seem to exist, caution: Was originally (PubMed: 7864889) thought to be nuclear, function: Binds calmodulin in a calciur dependent manner. May function as scaffolding or signaling protein, similarity: Regions to the WD repeat straint family . similarity: Contains 6 WD repeat straint family . similarity: Belongs to the WD repeat straint family . similarity: Contains 6 wD repeat straint f	Isotype	IgG
Gene Name STRN3 GS2NA SG2NA Protein Name Striatin-3 (Cell cycle autoantigen SG2NA) (S/G2 antigen) Immunogen Synthesized peptide derived from part region of human protein AA range: 146-196 Specificity STRN3 Monoclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 87kD Cell Pathway Cytoplasm. Membrane ; Peripheral membrane protein . Tissue Specificity Epithelium, Liver, Function alternative products: Additional isoforms seem to exist, caution: Was originally (PubMed: 7864889) thought to be nuclear, function: Binds calmodulin in a calciur dependent manner. May functional isoforms seem to exist, caution; similarity: Contains 6 WD repeats, subunit:Interacts with protein phosphatase 2A (PP2A)., Background alternative products: Additional isoforms seem to exist, caution or signially genotein, similarity: Belongs to the WD repeat striatin fam	Reactivity	Human;Mouse;Rat
Protein Name Striatin-3 (Cell cycle autoantigen SG2NA) (S/G2 antigen) Immunogen Synthesized peptide derived from part region of human protein AA range: 146-196 Specificity STRN3 Monoclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 87kD Cell Pathway Cytoplasm . Membrane ; Peripheral membrane protein . Tissue Specificity Epithelium, Liver, Function alternative products: Additional isoforms seem to exist, caution: Was originally (PubMed: 7864889) thought to be nuclear, function: Binds calmodulin in a calciur dependent manner. May function as scaffolding or signaling protein., similarity. Belongs to the WD repeat stratin family, similarity: Contains 6 WD repeats, subunit: Interacts with protein phosphatase 2A (PP2A). Background Alternative products: Additional isoforms seem to exist, caution: Was originally (PubMed: 7864889) thought to be nuclear, function: Binds calmodulin in a calciur dependent manner. May function as scaffolding or signaling protein., similarity: Belongs to the WD repeat stratin family, similarity: Contains 6 wD repeats, similarity: Belongs to the WD repeat stratin family, similarity: Contains 6 wD repeats stratin family, similarity: Contains 6 wD repeat stratin family, similarity: Contains 6 wD repeats stratin family, similarity: Contains 6 wD repeat stratin family, similarity: Contains 6 wD repeats stratin family, similarity: Conta	Applications	WB
Immunogen Synthesized peptide derived from part region of human protein AA range: 146-196 Specificity STRN3 Monoclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 87kD Cell Pathway Cytoplasm . Membrane ; Peripheral membrane protein . Tissue Specificity Epithelium, Liver, Function alternative products: Additional isoforms seem to exist, caution: Was originally (PubMed: 7864889) thought to be nuclear, function: Binds calmodulin in a calciur dependent manner. May function as scaffolding or signaling protein, similarity: Belongs to the WD repeat striatin family, similarity: Contains 6 WD repeats, similarity: Belongs to the WD repeat striatin family, similarity: Contains 6 (PubMed: 7864889) thought to be nuclear, function: Binds calmodulin in a calciur dependent manner. May function as scaffolding or signaling protein, similarity: Belongs to the WD repeat striatin family, similarity: Contains 6 to the WD repeat striatin family, similarity: Contains 6 to the WD repeat striatin family, similarity: Contains 6 <td>Gene Name</td> <td>STRN3 GS2NA SG2NA</td>	Gene Name	STRN3 GS2NA SG2NA
Specificity STRN3 Monoclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Monoclonal, Mouse, lgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 87kD Cell Pathway Cytoplasm . Membrane ; Peripheral membrane protein . Tissue Specificity Epithelium, Liver, alternative products: Additional isoforms seem to exist, caution: Was originally (PubMed: 7864889) thought to be nuclear, function: Binds calmodulin in a calciur dependent manner. May function as scaffolding or signaling protein., similarity: Belongs to the WD repeat striatin family., similarity: Contains 6 WD repeats, subunit: Interacts with protein phosphatase 2A (PP2A) . Background alternative products: Additional isoforms seem to exist, caution: Was originally (PubMed: 7864889) thought to be nuclear, function: Binds calmodulin in a calciur dependent manner. May function as scaffolding or signaling protein., similarity: Belongs to the WD repeat striatin family., similarity: Contains 6 wD repeat striatin family., similarity: Contains 6 the WD repeat striatin family. Similarity: Contains 6 to the WD repeat striatin family. Similarity: Contains 6 wD repeat striatin family. Similarity: Contains 6 to the WD repeat striatin family. Similarity: Contains 6 to the WD repeat striatin family. Similarity: Contains 6 to the WD repeat striatin family. Similarity: Contains 6 to the WD repeat striatin family. Similarity: Contains 6 to the WD repeat striatin family. Similarity: Contains 6 to the WD repeat striatin family. Similarity: Contains 6 to the WD repeat striatin family. Similarity: Contains 6 the WD repeat striatin family. Similarity: Contains 6 to the WD repeat striatin family. Similarity: Contains 6 to the WD repeat striatin family.	Protein Name	Striatin-3 (Cell cycle autoantigen SG2NA) (S/G2 antigen)
Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 87kD Cell Pathway Cytoplasm . Membrane ; Peripheral membrane protein . Tissue Specificity Epithelium, Liver, Function alternative products: Additional isoforms seem to exist, caution: Was originally (PubMed:7864889) thought to be nuclear, function: Binds calmodulin in a calcium dependent manner. May function as scaffolding or signaling protein, similarity: Belongs to the WD repeat striatin family, similarity: Contains 6 WD repeated the scalmodulin in a calcium dependent manner. May function as scaffolding or signaling protein, similarity: Belongs to the WD repeat striatin family, similarity: Contains 6 WD repeated the scalmodulin in a calcium dependent manner. May function as scaffolding or signaling protein, similarity: Belongs to the WD repeat striatin family, similarity: Contains 6 WD repeated the scalmodulin in a calcium dependent manner. May function as scaffolding or signaling protein, similarity: Belongs to the WD repeat striatin family, similarity: Contains 6 WD repeated the scalmodulin in a calcium dependent manner. May function as scaffolding or signaling protein, similarity: Belongs to the WD repeat striatin family, similarity: Contains 6	Immunogen	
Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 87kD Cell Pathway Cytoplasm . Membrane ; Peripheral membrane protein . Tissue Specificity Epithelium,Liver, Function alternative products:Additional isoforms seem to exist, caution:Was originally (PubMed:7864889) thought to be nuclear, function:Binds calmodulin in a calcium dependent manner. May function as scaffolding or signaling protein., similarity:Belongs to the WD repeat striatin familysimilarity:Contains 6 WD repeatessubunit:Interacts with protein phosphatase 2A (PP2A) ., Background alternative products:Additional isoforms seem to exist, caution:Was originally (PubMed:7864889) thought to be nuclear, function:Binds calmodulin in a calcium dependent manner. May function as scaffolding or signaling protein., similarity:Belongs to the WD repeat striatin family., similarity;Contains 6	Specificity	STRN3 Monoclonal Antibody detects endogenous levels of protein.
Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 87kD Cell Pathway Cytoplasm . Membrane ; Peripheral membrane protein . Tissue Specificity Epithelium,Liver, Function alternative products:Additional isoforms seem to exist,caution:Was originally (PubMed:7864889) thought to be nuclear.,function:Binds calmodulin in a calcium dependent manner. May function as scaffolding or signaling protein.,similarity:Belongs to the WD repeat striatin family,.similarity:Contains 6 WD repeated. alternative products:Additional isoforms seem to exist,caution:Was originally (PubMed:7864889) thought to be nuclear.,function:Binds calmodulin in a calcium dependent manner. May function as scaffolding or signaling protein.,similarity:Belongs to the WD repeat striatin family,.similarity:Contains 6 with protein phosphatase 2A (PP2A) ., alternative products:Additional isoforms seem to exist, caution:Was originally (PubMed:7864889) thought to be nuclear.,function:Binds calmodulin in a calcium dependent manner. May function as scaffloding or signaling protein.,similarity:Belongs to the WD repeat striatin family,.similarity:Contains 6	Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 87kD Cell Pathway Cytoplasm . Membrane ; Peripheral membrane protein . Tissue Specificity Epithelium,Liver, Function alternative products:Additional isoforms seem to exist,caution:Was originally (PubMed:7864889) thought to be nuclear.,function:Binds calmodulin in a calcium dependent manner. May function as scaffolding or signaling protein.,similarity:Belongs to the WD repeat striatin family.,similarity:Contains 6 WD repeats.,similarity:Belongs to the wDD repeat striatin family.,similarity:Contains 6 protein.,similarity:Belongs to the WD repeat striatin family.,similarity:Contains 6 protein.,similarity:Belongs to the WD repeat striatin family.,similarity:Contains 6 protein.,similarity:Belongs to the WD repeat striatin family.,similarity:Contains 6	Source	Monoclonal, Mouse,IgG
Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms -20°C/1 year Observed Band 87kD Cell Pathway Cytoplasm . Membrane ; Peripheral membrane protein . Tissue Specificity Epithelium,Liver, Function alternative products:Additional isoforms seem to exist,caution:Was originally (PubMed:7864889) thought to be nuclear, function:Binds calmodulin in a calciur dependent manner. May function as scaffolding or signaling protein, similarity:Belongs to the WD repeat striatin family., similarity:Contains 6 WD repeats., subunit:Interacts with protein phosphatase 2A (PP2A) ., Background alternative products:Additional isoforms seem to exist, caution:Was originally (PubMed:7864889) thought to be nuclear, function:Binds calmodulin in a calciur dependent manner. May function as scaffolding or signaling protein., similarity:Belongs to the WD repeat striatin family,, similarity:Contains 6	Purification	
Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 87kD Cell Pathway Cytoplasm . Membrane ; Peripheral membrane protein . Tissue Specificity Epithelium,Liver, Function alternative products:Additional isoforms seem to exist,caution:Was originally (PubMed:7864889) thought to be nuclear.,function:Binds calmodulin in a calciur dependent manner. May function as scaffolding or signaling protein.,similarity:Belongs to the WD repeat striatin family.,similarity:Contains 6 WD repeats.,subunit:Interacts with protein phosphatase 2A (PP2A) ., Background alternative products:Additional isoforms seem to exist,caution:Was originally (PubMed:7864889) thought to be nuclear.,function:Binds calmodulin in a calciur dependent manner. May function as scaffolding or signaling protein.,similarity:Belongs to the WD repeat striatin family,,similarity:Contains 6	Dilution	WB 1:500-2000
Storage Stability Synonyms Observed Band Cell Pathway Cytoplasm . Membrane ; Peripheral membrane protein . Tissue Specificity Epithelium, Liver, Function alternative products: Additional isoforms seem to exist, caution: Was originally (PubMed: 7864889) thought to be nuclear., function: Binds calmodulin in a calcium dependent manner. May function as scaffolding or signaling protein., similarity: Belongs to the WD repeat striatin family., similarity: Contains 6 WD repeats., subunit: Interacts with protein phosphatase 2A (PP2A)., Background alternative products: Additional isoforms seem to exist, caution: Was originally (PubMed: 7864889) thought to be nuclear., function: Binds calmodulin in a calcium dependent manner. May function as scaffolding or signaling protein., similarity: Belongs to the WD repeat striatin family., similarity: Contains 6	Concentration	1 mg/ml
Synonyms Observed Band 87kD Cell Pathway Cytoplasm . Membrane ; Peripheral membrane protein . Tissue Specificity Epithelium,Liver, Function alternative products:Additional isoforms seem to exist,caution:Was originally (PubMed:7864889) thought to be nuclear, function:Binds calmodulin in a calcium dependent manner. May function as scaffolding or signaling protein.,similarity:Belongs to the WD repeat striatin family.,similarity:Contains 6 WD repeats.,subunit:Interacts with protein phosphatase 2A (PP2A) ., Background alternative products:Additional isoforms seem to exist,caution:Was originally (PubMed:7864889) thought to be nuclear, function:Binds calmodulin in a calcium dependent manner. May function as scaffolding or signaling protein.,similarity:Belongs to the WD repeat striatin family.,similarity:Contains 6	Purity	≥90%
Observed Band Cell Pathway Cytoplasm . Membrane ; Peripheral membrane protein . Epithelium, Liver, Function alternative products: Additional isoforms seem to exist, caution: Was originally (PubMed: 7864889) thought to be nuclear., function: Binds calmodulin in a calcium dependent manner. May function as scaffolding or signaling protein., similarity: Belongs to the WD repeat striatin family., similarity: Contains 6 WD repeats., subunit: Interacts with protein phosphatase 2A (PP2A)., Background alternative products: Additional isoforms seem to exist, caution: Was originally (PubMed: 7864889) thought to be nuclear., function: Binds calmodulin in a calcium dependent manner. May function as scaffolding or signaling protein., similarity: Belongs to the WD repeat striatin family., similarity: Contains 6	Storage Stability	-20°C/1 year
Cell Pathway Cytoplasm . Membrane ; Peripheral membrane protein . Epithelium,Liver, Function alternative products:Additional isoforms seem to exist,caution:Was originally (PubMed:7864889) thought to be nuclear.,function:Binds calmodulin in a calcium dependent manner. May function as scaffolding or signaling protein.,similarity:Belongs to the WD repeat striatin family.,similarity:Contains 6 WD repeats.,subunit:Interacts with protein phosphatase 2A (PP2A) ., Background alternative products:Additional isoforms seem to exist,caution:Was originally (PubMed:7864889) thought to be nuclear.,function:Binds calmodulin in a calcium dependent manner. May function as scaffolding or signaling protein.,similarity:Belongs to the WD repeat striatin family.,similarity:Contains 6	Synonyms	
Tissue Specificity Epithelium, Liver, alternative products: Additional isoforms seem to exist, caution: Was originally (PubMed: 7864889) thought to be nuclear., function: Binds calmodulin in a calcium dependent manner. May function as scaffolding or signaling protein., similarity: Belongs to the WD repeat striatin family., similarity: Contains 6 WD repeats., subunit: Interacts with protein phosphatase 2A (PP2A)., Background alternative products: Additional isoforms seem to exist, caution: Was originally (PubMed: 7864889) thought to be nuclear., function: Binds calmodulin in a calcium dependent manner. May function as scaffolding or signaling protein., similarity: Belongs to the WD repeat striatin family., similarity: Contains 6	Observed Band	87kD
Function alternative products:Additional isoforms seem to exist,caution:Was originally (PubMed:7864889) thought to be nuclear.,function:Binds calmodulin in a calciur dependent manner. May function as scaffolding or signaling protein.,similarity:Belongs to the WD repeat striatin family.,similarity:Contains 6 WD repeats.,subunit:Interacts with protein phosphatase 2A (PP2A)., alternative products:Additional isoforms seem to exist,caution:Was originally (PubMed:7864889) thought to be nuclear.,function:Binds calmodulin in a calcium dependent manner. May function as scaffolding or signaling protein.,similarity:Belongs to the WD repeat striatin family.,similarity:Contains 6	Cell Pathway	Cytoplasm . Membrane ; Peripheral membrane protein .
(PubMed:7864889) thought to be nuclear.,function:Binds calmodulin in a calciur dependent manner. May function as scaffolding or signaling protein.,similarity:Belongs to the WD repeat striatin family.,similarity:Contains 6 WD repeats.,subunit:Interacts with protein phosphatase 2A (PP2A) ., Background alternative products:Additional isoforms seem to exist,caution:Was originally (PubMed:7864889) thought to be nuclear.,function:Binds calmodulin in a calcium dependent manner. May function as scaffolding or signaling protein.,similarity:Belongs to the WD repeat striatin family.,similarity:Contains 6	Tissue Specificity	Epithelium,Liver,
(PubMed:7864889) thought to be nuclear.,function:Binds calmodulin in a cálciun dependent manner. May function as scaffolding or signaling protein.,similarity:Belongs to the WD repeat striatin family.,similarity:Contains 6	Function	(PubMed:7864889) thought to be nuclear.,function:Binds calmodulin in a calcium dependent manner. May function as scaffolding or signaling protein.,similarity:Belongs to the WD repeat striatin family.,similarity:Contains 6
	Background	(PubMed:7864889) thought to be nuclear.,function:Binds calmodulin in a calcium dependent manner. May function as scaffolding or signaling protein.,similarity:Belongs to the WD repeat striatin family.,similarity:Contains 6

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务, 欢迎咨询



matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images

Nanjing BYabscience technology Co.,Ltd