



VMAC Monoclonal Antibody


Catalog No	BYmab-06811
Isotype	IgG
Reactivity	Human;Rat;Mouse
Applications	WB
Gene Name	VMAC
Protein Name	Vimentin-type intermediate filament-associated coiled-coil protein
Immunogen	Synthesized peptide derived from part region of human protein
Specificity	VMAC Monoclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
	-
Purity	≥90%
	-
Purity	≥90%
Purity Storage Stability	≥90%
Purity Storage Stability Synonyms	≥90% -20°C/1 year
Purity Storage Stability Synonyms Observed Band	≥90% -20°C/1 year 18kD
Purity Storage Stability Synonyms Observed Band Cell Pathway	≥90% -20°C/1 year 18kD Cytoplasm . Colocalizes with vimentin-type intermediate filaments
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	≥90% -20°C/1 year 18kD Cytoplasm . Colocalizes with vimentin-type intermediate filaments Cervix,Thymus,
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	≥90% -20°C/1 year 18kD Cytoplasm . Colocalizes with vimentin-type intermediate filaments Cervix,Thymus, subcellular location:Colocalizes with vimentin-type intermediate filaments.,
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	≥90% -20°C/1 year 18kD Cytoplasm . Colocalizes with vimentin-type intermediate filaments Cervix,Thymus, subcellular location:Colocalizes with vimentin-type intermediate filaments., subcellular location:Colocalizes with vimentin-type intermediate filaments.,

Nanjing BYabscience technology Co.,Ltd





Products Images



网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658