



XPP1 Monoclonal Antibody

Catalog No	BYmab-06825
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	XPNPEP1 XPNPEPL XPNPEPL1
Protein Name	Xaa-Pro aminopeptidase 1 (EC 3.4.11.9) (Aminoacylproline aminopeptidase) (Cytosolic aminopeptidase P) (Soluble aminopeptidase P) (sAmp) (X-Pro aminopeptidase 1) (X-prolyl aminopeptidase 1, soluble)
Immunogen	Synthesized peptide derived from part region of human protein
Specificity	XPP1 Monoclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	68kD
Cell Pathway	Cytoplasm .
Tissue Specificity	Expressed in all tissues tested, including pancreas, heart, muscle, kidney, liver, lung and brain. Highest levels in pancreas.
Function	catalytic activity:Release of any N-terminal amino acid, including proline, that is linked to proline, even from a dipeptide or tripeptide.,cofactor:Manganese.,enzyme regulation:Inhibited by apstatin and the metal ion chelators EDTA and 1,10-phenanthroline. Partially inhibited by dithiothreitol. Not inhibited by enalaprilat or amastatin.,similarity:Belongs to the peptidase M24B family.,subunit:Homodimer.,tissue specificity:Expressed in all tissues tested, including pancreas, heart, muscle, kidney, liver, lung and brain. Highest levels in pancreas.,
Background	This gene encodes the cytosolic form of a metalloaminopeptidase that catalyzes the cleavage of the N-terminal amino acid adjacent to a proline residue. The gene
	Naniing BYabscience technology Co. Ltd

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658



国内优质抗体供应商 精准的 WB 检测服务

24H 在线服务,欢迎咨询

	product may play a role in degradation and maturation of tachykinins, neuropeptides, and peptide hormones. Alternative splicing results in multiple transcript variants.[provided by RefSeq, Nov 2009],
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.
	Products Images

Nanjing BYabscience technology Co.,Ltd