



CART Monoclonal Antibody

cript protein [Cleaved into: n of human protein AA range: 1-50 nous levels of protein. d 0.02% sodium azide.
n of human protein AA range: 1-50 nous levels of protein.
n of human protein AA range: 1-50 nous levels of protein.
n of human protein AA range: 1-50 nous levels of protein.
n of human protein AA range: 1-50 nous levels of protein.
n of human protein AA range: 1-50 nous levels of protein.
nous levels of protein.
•
d 0.02% sodium azide.
se antiserum by fic immunogen.
tralatoral part of the arcuste pueleus
trolateral part of the arcuate nucleus, e, and also found in terminals in the cleus.

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658




国内优质抗体供应商 精准的 WB 检测服务

24H 在线服务,欢迎咨询



Background	This gene encodes a preproprotein that is proteolytically processed to generate multiple biologically active peptides. These peptides play a role in appetite, energy balance, maintenance of body weight, reward and addiction, and the stress response. Expression of a similar gene transcript in rodents is upregulated following administration of cocaine and amphetamine. Mutations in this gene are associated with susceptibility to obesity in humans. [provided by RefSeq, Feb 2016],
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using CART Monoclonal Antibody

Nanjing BYabscience technology Co., Ltd