



OSCAR Monoclonal Antibody

Catalog No	BYmab-07034
Isotype	lgG
Reactivity	Human;Mouse
Applications	WB
Gene Name	OSCAR
Protein Name	Osteoclast-associated immunoglobulin-like receptor (Osteoclast-associated receptor) (hOSCAR) (Polymeric immunoglobulin receptor 3) (PIgR-3) (PIgR3) (Poly-Ig receptor 3)
Immunogen	Synthesized peptide derived from part region of human protein
Specificity	OSCAR Monoclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Supervise	
Synonyms	
Observed Band	31kD
• •	
Observed Band	[Isoform 1]: Secreted .; [Isoform 2]: Cell membrane ; Single-pass type I membrane
Observed Band Cell Pathway	[Isoform 1]: Secreted .; [Isoform 2]: Cell membrane ; Single-pass type I membrane protein . Testis,
Observed Band Cell Pathway Tissue Specificity	 [Isoform 1]: Secreted .; [Isoform 2]: Cell membrane ; Single-pass type I membrane protein . Testis, caution: The sequence shown here is derived from an Ensembl automatic analysis pipeline and should be considered as preliminary data., function: Regulator of osteoclastogenesis which plays an important bone-specific function in osteoclast differentiation., similarity: Belongs to the leukocyte receptor complex/polymeric immunogobulin receptor (PIR/LRC) family., similarity: Contains 2 Ig-like

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658




国内优质抗体供应商

精准的 WB 检测服务 431 ~~ 24H 在线服务, 欢迎咨询

	encoded protein may play a role in oxidative stress-mediated atherogenesis as well as monocyte adhesion. Multiple alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq,
	Aug 2013],
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Nanjing BYabscience technology Co.,Ltd