



## **IGKC Monoclonal Antibody**

Catalog No	BYmab-07747
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB
Gene Name	IGKC
Protein Name	Ig kappa chain C region
Immunogen	Synthesized peptide derived from part region of human protein AA range: 1-50
Specificity	IGKC Monoclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	11kD
Cell Pathway	Secreted . Cell membrane .
Tissue Specificity	Abdominal adipose tissue,
Function	miscellaneous:The EU sequence has the INV (3) allotypic marker, Ala-45 and Val-83. The ROY sequence has the INV (1,2) allotypic marker, Ala-45 and Leu-83.,similarity:Contains 1 Ig-like (immunoglobulin-like) domain.,
Background	miscellaneous:The EU sequence has the INV (3) allotypic marker, Ala-45 and Val-83. The ROY sequence has the INV (1,2) allotypic marker, Ala-45 and Leu-83.,similarity:Contains 1 Ig-like (immunoglobulin-like) domain.,
matters needing attention	Avoid repeated freezing and thawing!

Nanjing BYabscience technology Co.,Ltd




国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务, 欢迎咨询



**Usage suggestions** 

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.





Western Blot analysis of various cells using IGKC Monoclonal Antibody