





Catalog No	BYmab-08099
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB
Gene Name	PCDHA9 KIAA0345
Protein Name	PCDA9
Immunogen	Synthesized peptide derived from human PCDA9 AA range: 395-445
Specificity	This antibody detects endogenous levels of PCDA9 at Human
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.214% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	Protocadherin alpha-9 (PCDH-alpha-9)
Observed Band	105kD
Cell Pathway	Cell membrane ; Single-pass type I membrane protein .
	Och membrane, omgie-pass type i membrane protein.
Tissue Specificity	Brain,Fetal brain,
Tissue Specificity Function	

Nanjing BYabscience technology Co.,Ltd




国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



	exons each encode six cadherin ectodomains while the C-terminal exons encode the cytoplasmic domain. These neural cadherin-like cell adhesion proteins are integral plasma membrane proteins that most likely play a critical role in the establishment and function of specific cell-cell connections in the brain. Alternative splicing has been observed and additional variants have been suggested but their full-length nature has yet to be determined. [provided by RefSeq, Jul 2008],
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658