



## ZBT49 mouse mAb

Catalog No	BYmab-08194
Isotype	IgG
Reactivity	Human; Mouse
Applications	WB
Gene Name	ZBTB49 ZNF509
Protein Name	ZBT49
Immunogen	Synthesized peptide derived from human ZBT49 AA range: 31-81
Specificity	This antibody detects endogenous levels of ZBT49 at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.309% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
	≥90% -20°C/1 year
Purity	
Purity Storage Stability	-20°C/1 year
Purity Storage Stability Synonyms	-20°C/1 year  Zinc finger and BTB domain-containing protein 49 (Zinc finger protein 509)
Purity Storage Stability Synonyms Observed Band	-20°C/1 year  Zinc finger and BTB domain-containing protein 49 (Zinc finger protein 509)  85kD  [Isoform 1]: Cytoplasm . Nucleus . Predominantly located in the nucleus;
Purity Storage Stability Synonyms Observed Band Cell Pathway	-20°C/1 year  Zinc finger and BTB domain-containing protein 49 (Zinc finger protein 509)  85kD  [Isoform 1]: Cytoplasm . Nucleus . Predominantly located in the nucleus; [Isoform 3]: Cytoplasm . Nucleus .  Highly expressed in normal epidermis and in other epithelial tissues, including in colon and lung. Tends to be down-regulated in colon, lung and skin cancer
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	-20°C/1 year  Zinc finger and BTB domain-containing protein 49 (Zinc finger protein 509)  85kD  [Isoform 1]: Cytoplasm . Nucleus . Predominantly located in the nucleus; [Isoform 3]: Cytoplasm . Nucleus .  Highly expressed in normal epidermis and in other epithelial tissues, including in colon and lung. Tends to be down-regulated in colon, lung and skin cancer tissues.  function:May be involved in transcriptional regulation.,similarity:Belongs to the
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	-20°C/1 year  Zinc finger and BTB domain-containing protein 49 (Zinc finger protein 509)  85kD  [Isoform 1]: Cytoplasm . Nucleus . Predominantly located in the nucleus; [Isoform 3]: Cytoplasm . Nucleus .  Highly expressed in normal epidermis and in other epithelial tissues, including in colon and lung. Tends to be down-regulated in colon, lung and skin cancer tissues.  function:May be involved in transcriptional regulation.,similarity:Belongs to the

Nanjing BYabscience technology Co.,Ltd




国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务, 欢迎咨询



**Usage suggestions** 

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## **Products Images**



Western Blot analysis of various cells using ZBT49 mouse mAb

Nanjing BYabscience technology Co.,Ltd