





| Catalog No | BYmab-08220 |
|---|--|
| Isotype | IgG |
| Reactivity | Human; Mouse;Rat |
| Applications | WB |
| Gene Name | PATL1 OK/KNS-cl.5 |
| Protein Name | PATL1 |
| Immunogen | Synthesized peptide derived from human PATL1 AA range: 263-313 |
| Specificity | This antibody detects endogenous levels of PATL1 at Human/Mouse/Rat |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.335% sodium azide. |
| Source | Monoclonal, Mouse,IgG |
| Purification | The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | WB 1:500-2000 |
| Concentration | 1 mg/ml |
| | |
| Purity | ≥90% |
| Purity Storage Stability | ≥90% -20°C/1 year |
| - | |
| Storage Stability | -20°C/1 year Protein PAT1 homolog 1 (PAT1-like protein 1) (Protein PAT1 homolog b) (Pat1b) |
| Storage Stability Synonyms | -20°C/1 year Protein PAT1 homolog 1 (PAT1-like protein 1) (Protein PAT1 homolog b) (Pat1b) (hPat1b) |
| Storage Stability Synonyms Observed Band | -20°C/1 year Protein PAT1 homolog 1 (PAT1-like protein 1) (Protein PAT1 homolog b) (Pat1b) (hPat1b) 85kD Cytoplasm, P-body . Nucleus . Nucleus, PML body . Nucleus speckle . Predominantly cytoplasmic (PubMed:22090346). Shuttles between the nucleus and the cytoplasm in a CRM1-dependent manner (PubMed:22090346). Enriched in splicing speckles. Localization to nuclear foci and speckles requires active |
| Storage Stability Synonyms Observed Band Cell Pathway | -20°C/1 year Protein PAT1 homolog 1 (PAT1-like protein 1) (Protein PAT1 homolog b) (Pat1b) (hPat1b) 85kD Cytoplasm, P-body . Nucleus . Nucleus, PML body . Nucleus speckle . Predominantly cytoplasmic (PubMed:22090346). Shuttles between the nucleus and the cytoplasm in a CRM1-dependent manner (PubMed:22090346). Enriched in splicing speckles. Localization to nuclear foci and speckles requires active transcription. Excluded from the nucleolus (PubMed:22090346) Ubiquitous. |
| Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity | -20°C/1 year Protein PAT1 homolog 1 (PAT1-like protein 1) (Protein PAT1 homolog b) (Pat1b) (hPat1b) 85kD Cytoplasm, P-body . Nucleus . Nucleus, PML body . Nucleus speckle . Predominantly cytoplasmic (PubMed:22090346). Shuttles between the nucleus and the cytoplasm in a CRM1-dependent manner (PubMed:22090346). Enriched in splicing speckles. Localization to nuclear foci and speckles requires active transcription. Excluded from the nucleolus (PubMed:22090346) Ubiquitous. |
| Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function | -20°C/1 year Protein PAT1 homolog 1 (PAT1-like protein 1) (Protein PAT1 homolog b) (Pat1b) (hPat1b) 85kD Cytoplasm, P-body . Nucleus . Nucleus, PML body . Nucleus speckle . Predominantly cytoplasmic (PubMed:22090346). Shuttles between the nucleus and the cytoplasm in a CRM1-dependent manner (PubMed:22090346). Enriched in splicing speckles. Localization to nuclear foci and speckles requires active transcription. Excluded from the nucleolus (PubMed:22090346) Ubiquitous. |

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658




国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务, 欢迎咨询



Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using PATL1 mouse mAb