



PACE1 mouse mAb

Catalog No	BYmab-08248
Isotype	IgG
Reactivity	Human; Mouse
Applications	WB
Gene Name	SCYL3 PACE1
Protein Name	PACE1
Immunogen	Synthesized peptide derived from human PACE1 AA range: 519-569
Specificity	This antibody detects endogenous levels of PACE1 at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	
Cell Pathway	Cytoplasm . Golgi apparatus . Cell projection, lamellipodium . Colocalized with EZR/VIL2, actin and CD44 in lamellipodia.
Tissue Specificity	Ubiquitously expressed.
Function	domain:The protein kinase domain is predicted to be catalytically inactive.,function:May play a role in regulating cell adhesion/migration complexes in migrating cells.,PTM:May be myristoylated; myristoylation may target it to Golgi compartment.,PTM:Phosphorylated.,similarity:Belongs to the protein kinase superfamily.,similarity:Contains 1 protein kinase domain.,similarity:Contains 4 HEAT repeats.,subcellular location:Colocalized with EZR/VIL2, actin and CD44 in lamellipodia.,subunit:Interacts with EZR/VIL2 C-terminal domain.,tissue specificity:Ubiquitously expressed.,
Background	This gene encodes a protein with a kinase domain and four HEAT repeats. The encoded protein interacts with the C-terminal domain of ezrin, an ERM protein, and may play a role in cell adhesion and migration. Alternative splicing results in

Nanjing BYabscience technology Co.,Ltd





	multiple transcript variants encoding multiple isoforms. [provided by RefSeq, Jun 2012],
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.



