



CDRT1 mouse mAb

Catalog No	BYmab-08373
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB
Gene Name	CDRT1 C17orf1 C17orf1A HREP
Protein Name	CDRT1
Immunogen	Synthesized peptide derived from human CDRT1 AA range: 364-414
Specificity	This antibody detects endogenous levels of CDRT1 at Human
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	
Cell Pathway	intracellular,
Tissue Specificity	Expressed in pancreas, heart and skeletal muscle.
Function	miscellaneous:CDRT1 gene is located centromeric to and partially within proximal CMT1A-REP element. CMT1A-REP is a complex binary repeat element flanking a 1.5-Mb DNA region duplicated in Charcot-Marie-Tooth disease type I (CMT1A) or deleted in Hereditary neuropathy (HNPP).,similarity:Contains 4 WD repeats.,tissue specificity:Expressed in pancreas, heart and skeletal muscle.,
Background	Members of the F-box protein family, such as FBXW10, are characterized by an approximately 40-amino acid F-box motif. SCF complexes, formed by SKP1 (MIM 601434), cullin (see CUL1; MIM 603034), and F-box proteins, act as protein-ubiquitin ligases. F-box proteins interact with SKP1 through the F box, and they interact with ubiquitination targets through other protein interaction domains (Jin et al., 2004 [PubMed 15520277]).[supplied by OMIM, Mar 2008],

Nanjing BYabscience technology Co.,Ltd






matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using CDRT1 mouse mAb