



## IQCH mouse mAb

IsotypeIgGReactivityHuman; MouseApplicationsWBGene NameIQCHProtein NameIQCHImmunogenSynthesized peptide derived from human IQCH AA range: 829-879SpecificityThis antibody detects endogenous levels of IQCH at Human/MouseFormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.SourceMonoclonal, Mouse, IgGPurificationThe antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.DilutionWB 1:500-2000Concentration1 mg/mlPurity≥90%Storage Stability-20°C/1 year
ApplicationsWBGene NameIQCHProtein NameIQCHImmunogenSynthesized peptide derived from human IQCH AA range: 829-879SpecificityThis antibody detects endogenous levels of IQCH at Human/MouseFormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.SourceMonoclonal, Mouse,IgGPurificationThe antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.DilutionWB 1:500-2000Concentration1 mg/mlPurity≥90%Storage Stability-20°C/1 year
Gene NameIQCHProtein NameIQCHImmunogenSynthesized peptide derived from human IQCH AA range: 829-879SpecificityThis antibody detects endogenous levels of IQCH at Human/MouseFormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.SourceMonoclonal, Mouse,IgGPurificationThe antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.DilutionWB 1:500-2000Purity≥90%Storage Stability-20°C/1 year
Protein NameIQCHImmunogenSynthesized peptide derived from human IQCH AA range: 829-879SpecificityThis antibody detects endogenous levels of IQCH at Human/MouseFormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.SourceMonoclonal, Mouse,IgGPurificationThe antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.DilutionWB 1:500-2000Concentration1 mg/mlPurity≥90%Storage Stability-20°C/1 year
ImmunogenSynthesized peptide derived from human IQCH AA range: 829-879SpecificityThis antibody detects endogenous levels of IQCH at Human/MouseFormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.SourceMonoclonal, Mouse,IgGPurificationThe antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.DilutionWB 1:500-2000Purity≥90%Storage Stability-20°C/1 year
SpecificityThis antibody detects endogenous levels of IQCH at Human/MouseFormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.SourceMonoclonal, Mouse,IgGPurificationThe antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.DilutionWB 1:500-2000Concentration1 mg/mlPurity≥90%Storage Stability-20°C/1 year
FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.SourceMonoclonal, Mouse, IgGPurificationThe antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.DilutionWB 1:500-2000Concentration1 mg/mlPurity≥90%Storage Stability-20°C/1 year
SourceMonoclonal, Mouse,IgGPurificationThe antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.DilutionWB 1:500-2000Concentration1 mg/mlPurity≥90%Storage Stability-20°C/1 year
PurificationThe antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.DilutionWB 1:500-2000Concentration1 mg/mlPurity≥90%Storage Stability-20°C/1 year
affinity-chromatography using epitope-specific immunogen.DilutionWB 1:500-2000Concentration1 mg/mlPurity≥90%Storage Stability-20°C/1 year
Concentration1 mg/mlPurity≥90%Storage Stability-20°C/1 year
Purity ≥90%   Storage Stability -20°C/1 year
Storage Stability -20°C/1 year
Synonyms
Observed Band
Cell Pathway
Tissue Specificity     Expressed in fetal and adult testis, in germ cells but not somatic cells.
<b>Function</b> function:May play a regulatory role in spermatogenesis.,similarity:Contains 1 domain.,tissue specificity:Expressed in fetal and adult testis, in germ cells bu somatic cells.,
Background
matters needing   Avoid repeated freezing and thawing!     attention   Avoid repeated freezing and thawing!

Nanjing BYabscience technology Co.,Ltd




国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



## Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## **Products Images**



Western Blot analysis of various cells using IQCH mouse mAb

Nanjing BYabscience technology Co.,Ltd