



R51A2 mouse mAb

| Catalog No | BYmab-09000 |
|---|--|
| Isotype | lgG |
| Reactivity | Human;Rat;Mouse; |
| Applications | WB |
| Gene Name | RAD51AP2 |
| Protein Name | R51A2 |
| Immunogen | Synthesized peptide derived from human R51A2 AA range: 409-459 |
| Specificity | This antibody detects endogenous levels of R51A2 at Human |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source | Monoclonal, Mouse,IgG |
| Purification | The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | WB 1:500-2000 |
| Concentration | 1 mg/ml |
| Concentration | ······ |
| Purity | ≥90% |
| | - |
| Purity | ≥90% |
| Purity Storage Stability | ≥90% |
| Purity Storage Stability Synonyms | ≥90% |
| Purity Storage Stability Synonyms Observed Band | ≥90% |
| Purity Storage Stability Synonyms Observed Band Cell Pathway | ≥90% -20°C/1 year |
| Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity | ≥90% -20°C/1 year Specifically expressed in meiotic tissues. Highly expressed in testis. subunit:Interacts with RAD51.,tissue specificity:Specifically expressed in meiotic |
| Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function | ≥90% -20°C/1 year Specifically expressed in meiotic tissues. Highly expressed in testis. subunit:Interacts with RAD51.,tissue specificity:Specifically expressed in meiotic |
| Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing | ≥90% -20°C/1 year Specifically expressed in meiotic tissues. Highly expressed in testis. subunit:Interacts with RAD51.,tissue specificity:Specifically expressed in meiotic tissues. Highly expressed in testis., |


Nanjing BYabscience technology Co.,Ltd



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



Products Images



Western Blot analysis of various cells using R51A2 mouse mAb

Nanjing BYabscience technology Co.,Ltd