



LACC1 mouse mAb

Catalog No	BYmab-09053
Isotype	IgG
Reactivity	Human; Mouse
Applications	WB
Gene Name	LACC1 C13orf31
Protein Name	LACC1
Immunogen	Synthesized peptide derived from human LACC1 AA range: 4-54
Specificity	This antibody detects endogenous levels of LACC1 at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Dilution Concentration	WB 1:500-2000 1 mg/ml
Concentration	1 mg/ml
Concentration Purity	1 mg/ml ≥90%
Concentration Purity Storage Stability	1 mg/ml ≥90%
Concentration Purity Storage Stability Synonyms	1 mg/ml ≥90%
Concentration Purity Storage Stability Synonyms Observed Band	1 mg/ml ≥90% -20°C/1 year Cytoplasm . Nucleus . Endoplasmic reticulum . Peroxisome . Upon stimulation of the pattern-recognition receptor (PRR) NOD2, localizes to the endoplasmic
Concentration Purity Storage Stability Synonyms Observed Band Cell Pathway	1 mg/ml ≥90% -20°C/1 year Cytoplasm . Nucleus . Endoplasmic reticulum . Peroxisome . Upon stimulation of the pattern-recognition receptor (PRR) NOD2, localizes to the endoplasmic reticulum Ubiquitously expressed, with higher expression levels in immune-related tissues such as lymph nodes and spleen (PubMed:27959965). Expressed in both
Concentration Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	1 mg/ml ≥90% -20°C/1 year Cytoplasm . Nucleus . Endoplasmic reticulum . Peroxisome . Upon stimulation of the pattern-recognition receptor (PRR) NOD2, localizes to the endoplasmic reticulum Ubiquitously expressed, with higher expression levels in immune-related tissues such as lymph nodes and spleen (PubMed:27959965). Expressed in both intestinal and peripheral myeloid-derived cells (PubMed:28593945).

Nanjing BYabscience technology Co.,Ltd




国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务, 欢迎咨询



Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.





Western Blot analysis of various cells using LACC1 mouse mAb

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658