



PDCD6 mouse mAb

Catalog No	BYmab-09673
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB
Gene Name	PDCD6 ALG2
Protein Name	Programmed cell death protein 6 (Apoptosis-linked gene 2 protein) (Probable calcium-binding protein ALG-2)
Immunogen	Synthesized peptide derived from human PDCD6 AA range: 98-148
Specificity	This antibody detects endogenous levels of human PDCD6
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	
Cell Pathway	Endoplasmic reticulum membrane ; Peripheral membrane protein . Cytoplasmic vesicle, COPII-coated vesicle membrane . Cytoplasm . Nucleus . Endosome . Interaction with RBM22 induces relocalization from the cytoplasm to the nucleus (PubMed:17045351). Translocated from the cytoplasm to the nucleus after heat shock cell treatment. Accumulates in cytoplasmic vesicle-like organelles after heat shock treatment, which may represent stress granules (PubMed:21122810). In response to calcium increase, relocates from cytoplasm to COPII vesicle coat (PubMed:27716508). Localizes to endoplasmic reticulum exit site (ERES) (PubMed:27813252). .
Tissue Specificity	
Function	
Background	

Nanjing BYabscience technology Co.,Ltd



matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images