



## RIR2 mouse mAb

Catalog No	BYmab-10123
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	RRM2 RR2
Protein Name	Ribonucleoside-diphosphate reductase subunit M2 (EC 1.17.4.1) (Ribonucleotide reductase small chain) (Ribonucleotide reductase small subunit)
Immunogen	Synthesized peptide derived from human RIR2 AA range: 260-310
Specificity	This antibody detects endogenous levels of human RIR2
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Concentration  Purity	1 mg/ml ≥90%
Purity	≥90%
Purity Storage Stability	≥90%
Purity Storage Stability Synonyms	≥90% -20°C/1 year
Purity Storage Stability Synonyms Observed Band	≥90% -20°C/1 year  Cytoplasm . Nucleus . Localized to the cytoplasm in S phase cells. May localize to
Purity Storage Stability Synonyms Observed Band Cell Pathway	≥90% -20°C/1 year  Cytoplasm . Nucleus . Localized to the cytoplasm in S phase cells. May localize to
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	≥90% -20°C/1 year  Cytoplasm . Nucleus . Localized to the cytoplasm in S phase cells. May localize to
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	≥90% -20°C/1 year  Cytoplasm . Nucleus . Localized to the cytoplasm in S phase cells. May localize to
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	≥90% -20°C/1 year  Cytoplasm . Nucleus . Localized to the cytoplasm in S phase cells. May localize to the nucleus in G2 phase cells

Nanjing BYabscience technology Co.,Ltd







## **Products Images**

Nanjing BYabscience technology Co.,Ltd