




## RSK2 (Phospho-Tyr529) mouse mAb

Catalog No	BYmab-10546
Isotype	IgG
Reactivity	Human; Mouse;Rat
Applications	WB
Gene Name	RPS6KA3 ISPK1 MAPKAPK1B RSK2
Protein Name	RSK2 (Phospho-Tyr529)
Immunogen	Synthesized peptide derived from human RSK2 (Phospho-Tyr529)
Specificity	This antibody detects endogenous levels of RSK2 (Phospho-Tyr529) at Human, Mouse, Rat
Formulation	Liquid in PBS containing 50% glycerol, and 0.202% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	Ribosomal protein S6 kinase alpha-3 (S6K-alpha-3) (EC 2.7.11.1) (90 kDa ribosomal protein S6 kinase 3) (p90-RSK 3) (p90RSK3) (Insulin-stimulated protein kinase 1) (ISPK-1) (MAP kinase-activated protein kinase 1b) (MAPK-activated protein kinase 1b) (MAPKAP kinase 1b) (MAPKAPK-1b) (Ribosomal S6 kinase 2) (RSK-2) (pp90RSK2)
Observed Band	
Cell Pathway	Nucleus . Cytoplasm .
Tissue Specificity	Expressed in many tissues, highest levels in skeletal muscle.
Function	catalytic activity:ATP + a protein = ADP + a phosphoprotein.,cofactor:Magnesium.,disease:Defects in RPS6KA3 are the cause of Coffin-Lowry syndrome (CLS) [MIM:303600]; an X-linked dominant disorder characterized by severe mental retardation with facial and digital dysmorphisms, and progressive skeletal deformations.,enzyme regulation:Activated by multiple phosphorylations on threonine and serine

Nanjing BYabscience technology Co.,Ltd







residues.,function:Serine/threonine kinase that may play a role in mediating the
growth-factor and stress induced activation of the transcription factor
ČREB.,PTM:Autophosphorylated on Ser-386, as part of the activation
process. PTM:Ser-227 phosphorylation promotes Ser-386 phosphorylation and
leads to basal activation. Full activation by growth factors requires additional
phosphorylation on Ser-369, similarity: Belongs to the protein kinase superfamily.
AGC Ser/Thr protein kinase family. S6 kinase

**Background** 

ribosomal protein S6 kinase A3(RPS6KA3) Homo sapiens This gene encodes a member of the RSK (ribosomal S6 kinase) family of serine/threonine kinases. This kinase contains 2 non-identical kinase catalytic domains and phosphorylates various substrates, including members of the mitogen-activated kinase (MAPK) signalling pathway. The activity of this protein has been implicated in controlling cell growth and differentiation. Mutations in this gene have been associated with Coffin-Lowry syndrome (CLS). [provided by RefSeq, Jul 2008],

matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## **Products Images**

Western Blot analysis of various cells using RSK2 (Phospho-Tyr529) mouse mAb

Nanjing BYabscience technology Co.,Ltd