



CNDH2 mouse mAb

Catalog No	BYmab-11152
Isotype	IgG
Reactivity	Human; Mouse;Rat
Applications	WB
Gene Name	NCAPH2 CAPH2
Protein Name	CNDH2
Immunogen	Synthesized peptide derived from human CNDH2 AA range: 501-551
Specificity	This antibody detects endogenous levels of CNDH2 at Human/Mouse/Rat
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	
Cell Pathway	Nucleus . Chromosome . Distributed along the arms of chromosomes assembled in vivo and in vitro.
Tissue Specificity	
Function	function:Regulatory subunit of the condensin-2 complex, a complex that seems to provide chromosomes with an additional level of organization and rigidity and in establishing mitotic chromosome architecture. May play a role in lineage-specific role in T-cell development.,PTM:Phosphorylated upon DNA damage, probably by
	ATM or ATR.,similarity:Belongs to the CND2 H2 (condensin-2 subunit 2) family.,subcellular location:Distributed along the arms of chromosomes assembled in vivo and in vitro.,subunit:Component of the condensin-2 complex, which contains the smc2 and smc4 heterodimer, and three non SMC subunits, ncapg2, ncaph2 and ncapd3 that probably regulate the complex.,
Background	ATM or ATR., similarity:Belongs to the CND2 H2 (condensin-2 subunit 2) family., subcellular location:Distributed along the arms of chromosomes assembled in vivo and in vitro., subunit:Component of the condensin-2 complex, which contains the smc2 and smc4 heterodimer, and three non SMC subunits,

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658





	splicing of this gene results in multiple transcript variants.[provided by RefSeq, May 2010],
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.



