

Background



TRAD1 mouse mAb

| Catalog No | BYmab-11748 |
|--------------------|--|
| Isotype | IgG |
| Reactivity | Human; Mouse;Rat |
| Applications | WB |
| Gene Name | TRAFD1 FLN29 |
| Protein Name | TRAD1 |
| Immunogen | Synthesized peptide derived from human TRAD1 AA range: 52-102 |
| Specificity | This antibody detects endogenous levels of TRAD1 at Human/Mouse/Rat |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source | Monoclonal, Mouse,IgG |
| Purification | The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | WB 1:500-2000 |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | |
| Observed Band | |
| Cell Pathway | |
| Tissue Specificity | |
| Function | function:May function as a lipopolysaccharide (LPS)-inducible negative regulator in innate immunity. May be involved in endotoxin tolerance. Seems to act as a negative regulator in toll-like receptor signaling.,induction:LPS, IFNB1 and IFNG increased protein levels in RAW cells with IFNB1 being most potent inducer. IL4 and IL10 did not induced the expression in RAW cells, moreover, LPS did not induce expression in the presence of IL4 or IL10.,similarity:Contains 1 TRAF-type zinc finger.,subunit:Interacts with TRAF6., |

Nanjing BYabscience technology Co.,Ltd

The innate immune system confers host defense against viral and microbial infection, and TRAFD1 is a negative feedback regulator that controls excessive immune responses (Sanada et al., 2008 [PubMed 18849341]).[supplied by OMIM, Dec 2009],






matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using TRAD1 mouse mAb