



## ZFP57 mouse mAb

Catalog No	BYmab-12252
Isotype	IgG
Reactivity	Human; Mouse;Rat
Applications	WB
Gene Name	ZFP57 C6orf40 ZNF698
Protein Name	ZFP57
Immunogen	Synthesized peptide derived from human ZFP57 AA range: 373-423
Specificity	This antibody detects endogenous levels of ZFP57 at Human/Mouse/Rat
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	
Cell Pathway	Nucleus . Binds various differentially methylated regions (DMR)
Tissue Specificity	
Function	disease:Defects in ZFP57 are the cause of transient neonatal diabetes mellitus type 1 (TNDM1) [MIM:601410]. Neonatal diabetes is a form of diabetes mellitus defined by the onset of mild-to-severe hyperglycemia within the first months of life. In about half of the neonates, diabetes is transient and resolves at a median age of 3 months, whereas the rest have a permanent form of diabetes. The major cause of TNDM1 is aberrant expression of imprinted genes at chromosome 6q24 associated in 20% of cases with DNA hypomethylation at the transient neonatal diabetes differentially methylated region (DMR), which lies within the imprinted promoter of the PLAGL1 gene. Over 50% of individuals with transient neonatal diabetes and hypomethylation at 6q24 also show mosaic DNA hypomethylation at other imprinted loci throughout the genome and a range of additional clinical

## other imprinted loci throughout the genome and a range of additional clinical features.,domain:The KRAB domain Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



Background	The protein encoded by this gene is a zinc finger protein containing a KRAB domain. Studies in mouse suggest that this protein may function as a transcriptional repressor. Mutations in this gene have been associated with transient neonatal diabetes mellitus type 1 (TNDM1).[provided by RefSeq, Sep 2009],
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## **Products Images**



网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658